

CANADA

2022 Ram Commercial 3500, 4500 & 5500 Chassis Cab

FEATURE AVAILABILITY

S = Standard. O = Optional. P = Part of package. NA = Not available.
 Note: some features and/or applications may be late availability.

CONFIGURATION

3500 – Body Model

	TRADESMAN	SLT	LARAMIE	LIMITED
3500 – BODY MODEL				
Regular Cab — 1,524-mm (60-in.) CA (3,645-mm (143.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 2,134-mm (84-in.) CA (4,255-mm (167.5-in.) wheelbase) (N/A with 4,536-kg (10,000-lb. GVWR))	S	S	NA	NA
Crew Cab — 1,524-mm (60-in.) CA (4,379-mm (172.4-in.) wheelbase)	O	O	S	S

3500 – Drive System

	TRADESMAN	SLT	LARAMIE	LIMITED
3500 – DRIVE SYSTEM				
4x2	S	S	S	S
4x4	O	O	O	O

4500/5500 – Body Model

	TRADESMAN	SLT	LARAMIE	LIMITED
4500/5500 – BODY MODEL				
Regular Cab — 1,524-mm (60-in.) CA (3,670-mm (144.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 2,134-mm (84-in.) CA (4,280-mm (168.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 2,743-mm (108-in.) CA (4,890-mm (192.5-in.) wheelbase)	S	S	NA	NA

	TRADESMAN	SLT	LARAMIE	LIMITED
4500/5500 – BODY MODEL				
Regular Cab — 3,048-mm (120-in.) CA (5,194-mm (204.5-in.) wheelbase)	S	S	NA	NA
Crew Cab — 1,524-mm (60-in.) CA (4,407-mm (173.5-in.) wheelbase)	O	O	S	S
Crew Cab — 2,134-mm (84-in.) CA (5,014-mm (197.4-in.) wheelbase)	O	O	S	S

4500/5500 – Drive System

	TRADESMAN	SLT	LARAMIE	LIMITED
4500/5500 – DRIVE SYSTEM				
4x2	S	S	S	S
4x4	O	O	O	O

POWERTRAIN

	TRADESMAN	SLT	LARAMIE	LIMITED
ENGINE / TRANSMISSION				
6.4-litre HEMI® V-8 (3500) with eight-speed 8HP75 automatic transmission	S	S	S	S
6.4-litre HEMI V-8 (3500/4500/5500) with six-speed AS66RC Aisin automatic transmission	S/P	S/P	S/P	S/P
6.7-litre Cummins Turbo Diesel I-6 engine with six-speed AS69RC Aisin automatic transmission	O	O	O	O

MECHANICAL

Alternator

ALTERNATOR	TRADESMAN	SLT	LARAMIE	LIMITED
180-amp	S	S	S	S
220-amp (Included on 3500/4500/5500 models with Heavy-Duty Snowplow Prep Group; included with Electrical Accessory Group and Ambulance Prep Group)	O/P	O/P	O/P	O/P
380-amp (dual 160-amp and 220-amp; requires 6.4-litre)	O	O	O	O
440-amp (dual 220-amp alternators; requires 6.7-litre)	O/P	O/P	O/P	O/P

Axles: 3500

AXLES: 3500	TRADESMAN	SLT	LARAMIE	LIMITED
Single Rear Wheel Group	S	S	S	S
Dual rear wheels	O	O	O	O
Front, 2,721 kg (6,000-lb.) GAWR (SRW axle)	S	S	S	S
Rear, 292-mm (11.50-in.) (SRW axle)	S	S	S	S
Front, 205-mm (8.1-in.) (DRW axle)	S/O	S/O	S/O	S/O
Rear, 292-mm (11.50-in.) (DRW axle)	S/O	S/O	S/O	S/O
Rear, 305-mm (12.0-in.) (DRW axle)	P	P	P	P

Axle Ratios: 3500

	TRADESMAN	SLT	LARAMIE	LIMITED
AXLE RATIOS: 3500				
3.73 ratio (packaged with diesel models only)	P	P	P	P
4.10 ratio (standard with gas)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

Axles: 4500/5500

	TRADESMAN	SLT	LARAMIE	LIMITED
AXLES: 4500/5500				
Dual rear wheel	S	S	S	S
Front, 267-mm (10.5-in.)	S	S	S	S
Front, 267-mm (10.5-in.), 3,289 kg (7,250-lb.) GAWR	O	O	O	O
Front-axle disconnect (4500/5500 4x4)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

Axle Ratios: 4500

	TRADESMAN	SLT	LARAMIE	LIMITED
AXLE RATIOS: 4500				
Rear, 4.10 ratio (packaged with 4500 with 6.7-litre engine)	P	P	P	P
4.44 ratio	S	S	S	S
4.89 ratio (available with 6.4-litre engine)	O/P	O/P	O/P	O/P
Rear, American Axle (5443-kg (12,000-lb.) GAWR)	S	S	S	S

Axle Ratios: 5500

	TRADESMAN	SLT	LARAMIE	LIMITED
AXLE RATIOS: 5500				
4.44 ratio	S	S	S	S
4.89 ratio	O/P	O/P	O/P	O/P
Rear, American Axle, (6,123-kg (13,500-lb. GAWR)	S	S	S	S

Fuel Tank

	TRADESMAN	SLT	LARAMIE	LIMITED
FUEL TANK				
197-litre (52-US gallon), rear	S	S	S	S
280-litre (74-US gallon) dual fuel tanks (197 (52) and 83 (22) litres (US-gals.))	O	O	O	O
83-litre (22-US gallon) mid-ship fuel tank	O	O	O	O

Power Take Off (PTO)

	TRADESMAN	SLT	LARAMIE	LIMITED
POWER TAKE OFF (PTO)				
Stationary elevated engine idle up	S	S	S	S
Right-side PTO	O	O	O	O
Left-side PTO	O	O	O	O
Split-shaft PTO (packaged with PTO, if diesel)	P	P	P	P
Hard-wired remote start/stop (packaged with PTO)	P	P	P	P

EXTERIOR

Engine Shut-Off Timer

	TRADESMAN	SLT	LARAMIE	LIMITED
ENGINE SHUT-OFF TIMER				
6.4-litre and 6.7-litre (5 minutes) (dealer programmable from 1 to 60 minutes)	O	O	O	O

INTERIOR

Instrument Cluster Displays

	TRADESMAN	SLT	LARAMIE	LIMITED
INSTRUMENT CLUSTER DISPLAYS				
Cluster 3.5-in. thin-film transistor (TFT) black and white display	S	S	NA	NA
Cluster 3.5-in. TFT colour display	NA	P	NA	NA
Cluster 7.0-in. TFT colour display	P	P	S	S

Upfitter Interface

	TRADESMAN	SLT	LARAMIE	LIMITED
UPFITTER INTERFACE				
Vehicle system interface module (VSIM)	S	S	S	S

UCONNECT MULTIMEDIA

Bluetooth

	TRADESMAN	SLT	LARAMIE	LIMITED
BLUETOOTH				
Uconnect Voice Command with Bluetooth	S	S	S	S

Compass

	TRADESMAN	SLT	LARAMIE	LIMITED
COMPASS				
Compass display in the radio	S	S	S	S
GPS antenna input on radio	S	S	S	S

Connectivity

	TRADESMAN	SLT	LARAMIE	LIMITED
CONNECTIVITY				
Front: Media hub — includes two fully functional type A/C USB port pairs and one auxiliary jack (four USB connection points)	S	S	S	S
Middle: 2.5-amp charge only single USB port (located in centre console or armrest)	S	S	S	S
Rear: Dual remote USB port 2 A/C pairs; one pair fully functional, one pair charge only (packaged with Luxury Group)	NA	P	S	S
Auxiliary headphone jack for mobile devices	S	S	S	S
Wireless charging pad; (packaged with Laramie Level 2)	NA	NA	P	S

Power

	TRADESMAN	SLT	LARAMIE	LIMITED
POWER				
Accessory delay	S	S	S	S
Auxiliary outlets (one battery and one ignition-fed)	S	S	S	S
115-volt auxiliary power outlet, instrument panel-mounted (Tradesman option) (packaged with SLT)	O	P	S	S
115-volt auxiliary power outlet, rear facing, (Crew Cab only) (packaged with SLT)	NA	P	S	S
400-watt inverter (packaged with 115-volt auxiliary power outlet)	P	P	P	P

Radios

RADIOS	TRADESMAN	SLT	LARAMIE	LIMITED
Uconnect 3 with 5-inch touchscreen — AM/FM, media hub (USB, Auxiliary), Bluetooth	S	S	NA	NA
Uconnect 5 with 8.4-inch touchscreen — AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Bluetooth, SiriusXM, HD radio, Apple CarPlay, Android Auto	O	O	S	NA
Uconnect 5 NAV with 8.4-inch touchscreen AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Navigation, Bluetooth, SiriusXM 360L, HD radio, Apple CarPlay, Android Auto	O	O	O/P	NA
Uconnect 5 NAV with 12-inch touchscreen — AM/FM/BT/SiriusXM 360L/NAV/HD Radio, Apple CarPlay and Android Auto	O	O	O	S
Radio controls, steering wheel-mounted audio controls	P	P	S	S

SAFETY AND SECURITY

Camera

CAMERA	TRADESMAN	SLT	LARAMIE	LIMITED
ParkView rear backup camera	O	O	O	S
Cargo View camera requires 8.4-in. or 12-in. radio, includes LED CHMSL and cargo lamps	NA	O	O	O
Auxiliary Remote Camera (Mopar camera available at dealer)	O/P	O	O	O
Auxiliary Camera Prep, includes vehicle trailer wiring, camera display in radio, 12-pin connector at rear frame rail	O/P	O/P	O/P	O/P
Surround View camera (five digital cameras)	P	P	P	P

Parking Sensors

	TRADESMAN	SLT	LARAMIE	LIMITED
PARKING SENSORS				
Park-Sense Rear park assist	O	O	O	S
Park-Sense Front/rear park assist	O	O	O	S

Safety Features

	TRADESMAN	SLT	LARAMIE	LIMITED
SAFETY FEATURES				
Security alarm	NA	O	S	S
Backup alarm (audible alarm when vehicle is in reverse)	O	O	O	O
Lane Departure Warning, (Lane Keep Assist)	P	P	P	P
Adaptive Steering (standalone option)	P	P	P/O	P/O
Adaptive Cruise Control with Stop	P	P	P	P
Ready Alert Braking	S	S	S	S
Full Speed Forward Collision Warning Plus (available with Adaptive Cruise)	P	P	P	P
Adaptive Steering	P	P	P	P
Tire-fill alert system	O	O	S	S
Selectable Tire Fill Alert (packaged with 8.4-in. and 12-in. radios on SLT)	O	P	S	S
Tire-pressure Information System	O	S	S	S
Tire-pressure Monitoring Display	S	S	S	S
Trailer Tire-pressure Monitoring	O	O	O	O
Trailer Reverse Guidance	O	P	P	P
DOT– certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, spare fuses, two red vinyl flags)	O	O	O	O
Max Speed Settings (105 km/h, 113 km/h , 124 km/h)	O	O	O	O
Auto High Beam Headlamp Control	P	P	P	S
Rain Sensing Wipers	P	P	P	S

	TRADESMAN	SLT	LARAMIE	LIMITED
SAFETY FEATURES				
Auxiliary Reverse Lamps (packaged with SLT)	O	O/P	S	S

EQUIPMENT PACKAGES

	TRADESMAN	SLT	LARAMIE	LIMITED
EQUIPMENT PACKAGES				
Electrical Accessory Group	O	O	O	O
220-amp alternator				
Voltage Monitoring Auto Idle Up				
Trailer Brake Control				
Ambulance Prep Group	O	O	O	O
220-amp alternator				
Voltage Monitoring Auto Idle Up				
Remote rear heat/AC (provides ability to run auxiliary mounted heater and A/C independently of instrument panel controls)				
A/C line tap and engine coolant access for upfitter				
Foam roof blocks (included with Regular Cab only)				
Chrome Appearance Group	O	NA	NA	NA
Chrome front bumper (3500/4500/5500)				
Chrome grille (3500/4500/5500)				
Chrome clad steel wheel on 3500				
Bright wheel centre hub cover (4500/5500)				
Cold Weather Group (Packaged with Diesel engine)	P	P	P	P
Winter front grille cover				
Comfort Group	NA	O	NA	NA
Heated steering wheel				
Leather-wrapped steering wheel and audio controls				
Cluster 3.5-in. TFT colour display				
Tradesman Level 1 Equipment Group	O	NA	NA	NA
Overhead console (Regular Cab)				

	TRADESMAN	SLT	LARAMIE	LIMITED
EQUIPMENT PACKAGES				
Power windows (Regular Cab)				
Power door locks (Regular Cab) (speed sensitive actuation)				
Power black trailer tow mirrors (Regular Cab)				
Door trim: (Regular Cab) (wrapped bolster/armrest, 360 door handles, join seam, Iron Grey painted surround and accent)				
Remote Keyless Entry				
Interior door handles, satin chrome polished				
Laramie Level 1 Equipment Group	NA	NA	O	NA
Auto high beam headlamp control				
Rain-sensing wipers				
Foam bottle door inserts				
Ventilated three-level front driver/passenger seats				
Power-adjustable pedals				
Radio, driver, seat, mirror, pedals memory				
Laramie Level 2 Equipment Group (Includes Laramie Level 1 Equipment Group Content)	NA	NA	O	NA
Uconnect 5 NAV with 8.4-inch touchscreen (AM/FM/SAT/Bluetooth/NAV)				
17 Harman Kardon speakers				
Wireless charging pad				
Rear heated seats (three level)				
Limited Level 1 Equipment Group	NA	NA	NA	O
17 Harman Kardon speakers				
Full Speed Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop				
Surround View Camera				
Digital Rearview Mirror				
Trailer Reverse Guidance				
Lane Keep Assist				
Premium Lighting Group	NA	O	NA	NA
LED headlamps				

	TRADESMAN	SLT	LARAMIE	LIMITED
EQUIPMENT PACKAGES				
LED fog lamps				
Cluster 3.5-in. TFT colour display				
Safety Group	O	O	O	O
Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop				
Lane Keep Assist				
Digital Rearview Mirror (on Limited and Laramie)				
Adaptive steering				
Rain-sensing wipers				
Automatic high-beam headlamps				
Trailer Brake Control (Packaged with Tradesman and SLT)				
Cluster 7-in. TFT colour display (Tradesman and SLT)				
Tow Technology Group	NA	O	O	O
Surround View camera				
Trailer reverse guidance				
Auxiliary reverse lamps, mirror-mounted				
Power convex mirrors				
Heavy-Duty Snowplow Prep Group	O	O	O	O
220-amp alternator				
Transfer case skid plate				
Heavy Duty Front Suspension Group (4500 and 5500)				
Luxury Group	NA	O	NA	NA
Passenger/driver cloth visors with incandescent illuminated mirrors				
Universal garage door opener				
Rear dome lamp with on/off switch				
Cluster 7.0-in. TFT colour display				
Leather-wrapped steering wheel with remote audio control buttons				
Rear backlight, rear power sliding window (Crew Cab only)				
Foam bottle door insert				
115-volt outlet (front)				
115-volt outlet (rear) (Crew only)				
Upper and lower glove box lighting				

	TRADESMAN	SLT	LARAMIE	LIMITED
EQUIPMENT PACKAGES				
Power adjustable pedals				
Rear: dual remote USB port (Crew only) 2 A/C pairs; one pair fully functional, one pair charge only				
Upper glove box door with SLT badge				
Max Tow Package (Requires Diesel engine and Aisin transmission)	O	O	O	O
305-mm (12-in.) rear axle (3500)				
4.10 axle (3500)				
4.44 axle (4500)				
4.89 axle (5500)				
Max Payload Package (6.4-litre 5500 only)	O	O	O	O
8,618-kg (19,000-lb.) GVWR				
8,845-kg (19,500-lb.) GVWR				
4.89 axle ratio				
Rollback Carrier Group	O	O	NA	NA
Voltage monitoring auto idle up system				
Rollback carrier adaptation brackets				
220-amp alternator				
Left- or right-side PTO				
83-litre (22-US gallon) mid-ship gas tank				
Rear Interior Trim Delete Group (Regular Cab only)	O	O	NA	NA
Delete front centre seat				
Delete rear floor storage tray				
Delete cab back trim panel				
6,804 kg (15,000-lb.) GVWR Package	O	O	O	O
Includes 6,804 kg (15,000-lb.) Gross Vehicle Weight Rating (4500)				
4x2, 4x4				
7,257 kg (16,000-lb.) GVWR Package	O	O	O	O
Includes 7,257 kg (16,000-lb.) Gross Vehicle Weight Rating (4500)				
4x2, 4x4				

#