

2010 CHRYSLER 300 AT A GLANCE

300

Redefining the classic American automobile

- Chrysler redefined the classic American automobile with the Chrysler 300
- The Chrysler 300 continues the Chrysler brand's proud "letter series" tradition in a thoroughly modern way
- With stunning, noble proportions, Chrysler 300 signaled an entirely new design direction for the Chrysler brand when it was first introduced in March 2004 as a 2005 model-year vehicle
- With unsurpassed comfort and spaciousness, Chrysler 300 has the interior space of a front-wheel-drive package in a rear-wheel-drive vehicle
- Chrysler 300 offers leading technology at a mid-market price

It's got a HEMI!

- Chrysler 300C offers exceptional performance with the legendary 5.7-liter HEMI V-8 engine that generates 360 horsepower (268 kW) and 389 lb.-ft. (527 N•m) of torque and features fuel-saving MDS technology which provides as much as a 20 percent improvement in fuel economy

Best of both worlds—the security of all-wheel drive with the spirit and handling of rear-wheel drive

- All-wheel drive Chrysler 300 models are equipped with an active transfer case and a front-axle disconnect—an active "on-demand" system which disconnects the front axle from the drivetrain until all-wheel drive is necessary
- System allows the vehicle to switch between two-wheel drive and all-wheel drive to maximize fuel economy on all-wheel-drive Chrysler 300 models

Safety and security

- Technologies such as Electronic Stability Control (ESC) with Brake Assist, all-speed traction control and four-wheel Anti-lock Brake System (ABS), have reached new levels of advancement to control rear-wheel-drive vehicles in a way that is transparent to the driver

Customer convenience technology

- Available Boston Acoustics audio systems include a six-speaker 276-watt amplifier system or an eight-speaker 5.1 Matrix surround-sound amplifier including subwoofer
- Available Uconnect™ Multimedia features a 30-gigabyte hard drive for ripping up to 6,700 songs from CD or USB memory devices in a compressed format, photo uploading for home screen personalization and the ability to display movies when the vehicle is in Park (as permitted by state regulations)
- Available Uconnect Phone features Bluetooth technology to provide voice-controlled wireless communication between the occupants' compatible mobile phones and the vehicle's onboard receiver
- Available Uconnect Navigation combines the features of Uconnect Phone and Uconnect Multimedia with navigation real-time traffic updates
- Available rear-seat Video Entertainment System (VES®) features 7-inch LCD screen and two wireless headphones for DVD and auxiliary audio/video entertainment

2010 CHRYSLER 300 SPECIFICATIONS

Dimensions are in inches (millimeters) unless otherwise noted.

GENERAL INFORMATION

Body Style	Four-door sedan
Assembly Plant	Brampton, Ontario, Canada; Long-wheelbase Package modified by Accubuilt, Inc., Lima, Ohio
EPA Vehicle Class	Large car
Introduction Date	Spring 2004 as 2005 model

ENGINE: 2.7-LITER DOHC 24-VALVE V-6

Availability	Standard on 300 Touring
Type and Description	60-degree, liquid-cooled, dual-plenum intake manifold
Displacement	167 cu. in. (2736 cu. cm)
Bore x Stroke	3.38 x 3.09 (86 x 78.5)
Valve System	DOHC, 24 valves, hydraulic end-pivot roller followers
Fuel Injection	Sequential, multi-port, electronic
Construction	Semi-permanent mold-aluminum block with cast-in iron liners, cross-bolted main bearing caps and cast-aluminum heads
Compression Ratio	9.7:1
Power (SAE net)	178 bhp (133 kW) @ 5,500 rpm (65.9 bhp/liter)
Torque (SAE net)	190 lb.-ft. (258 N•m) @ 4,000 rpm
Max. Engine Speed	6,600 rpm (electronically limited)
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	6 qt. (5.7-liter) with dry filter
Coolant Capacity	9.5 qt. (9L)
Emission Controls	Dual close-coupled three-way catalytic converters, quad-heated oxygen sensors and internal engine features ^(a)
Max. Gross Trailer Weight	1,000 lbs. (454 kg)
EPA Fuel Economy mpg (City/Hwy)	18/26

^(a) Meets Federal Tier 2 Bin 5 emission requirements and LEV II requirements in California, Massachusetts, New York, Maine, Vermont, Connecticut, Pennsylvania, Rhode Island, New Jersey, Oregon and Washington.

ENGINE: 3.5-LITER HIGH OUTPUT SOHC 24-VALVE V-6

Availability	Standard on 300 Touring Signature, 300 Limited
Type and Description	60-degree, liquid-cooled with three-plenum intake manifold and short-runner valves
Displacement	214.7 cu. in. (3518 cu. cm)
Bore x Stroke	3.78 x 3.19 (96 x 81)
Valve System	SOHC, 24 valves, hydraulic, center-pivot roller rocker arms
Fuel Injection	Sequential, multi-port, electronic
Construction	Precision sand cast mold-aluminum block with cast-in iron liners, cross-bolted main bearing caps, and cast-aluminum heads
Compression Ratio	9.91
Power (SAE net)	250 bhp (186 kW) @ 6,400 rpm (70.0 bhp/liter)
Torque (SAE net)	250 lb.-ft. (340 N•m) @ 3,800 rpm
Max. Engine Speed	6,800 rpm (electronically limited)
Fuel Requirement	Unleaded mid-grade, 89 octane (R+M)/2—recommended, Unleaded regular, 87 octane (R+M)/2—acceptable
Oil Capacity	6 qt. (5.7-liter) with dry filter

2010 CHRYSLER 300 SPECIFICATIONS

Coolant Capacity	10.8 qt. (10.2L)
Emission Controls	Dual close-coupled three-way catalytic converters, quad-heated oxygen sensors and internal engine features ^(b)
Max. Gross Trailer Weight	2,000 lbs. (907 kg)
EPA Fuel Economy mpg (City/Hwy)	RWD – 17/25; AWD – 17/23

^(b) Meets Federal Tier 2 Bin 5 emission requirements and ULEV II requirements in California, Massachusetts, New York, Maine, Vermont, Connecticut, Pennsylvania, Rhode Island, New Jersey, Oregon and Washington.

ENGINE: 5.7-LITER HEMI® MULTI-DISPLACEMENT V-8

Availability	Standard on 300C
Type and Description	90-degree V-type, liquid-cooled with Variable-valve Timing (VVT)
Displacement	345 cu. in. (5654 cu. cm)
Bore x Stroke	3.92 x 3.58 (99.5 x 90.9)
Valve System	Pushrod-operated overhead valves, 16 valves, eight deactivating and eight conventional hydraulic lifters, all with roller followers
Fuel Injection	Sequential, multi-port, electronic, returnless
Construction	Deep-skirt cast-iron block with cross-bolted main bearing caps, aluminum alloy heads with hemispherical combustion chambers
Compression Ratio	10.5:1
Power (SAE net)	360 bhp (268 kW) @ 5,150 rpm, (63.2 bhp/L)
Torque (SAE Net)	389 lb.-ft. (527 N•m) @ 4,250 rpm
Max. Engine Speed	5,800 rpm (electronically limited)
Fuel Requirement	Unleaded mid-grade, 89 octane (R+M)/2—recommended; Unleaded regular, 87 octane (R+M)/2—acceptable
Oil Capacity	7 qt. (6.6L)
Coolant Capacity	14.7 qt. (13.9L)
Emission Controls	Dual close-coupled three-way catalytic converters, quad-heated oxygen sensors and internal engine features ^(c)
Max. Gross Trailer Weight	2,000 lbs. (907 kg)
EPA Fuel Economy mpg (City/Hwy)	RWD – 16/25; AWD – 16/23

^(c) Meets Tier 2 Bin 4 emission requirements in all states.

TRANSMISSION: FOUR-SPEED AUTOMATIC

Availability	Standard on Chrysler 300 Touring, 300 Touring Signature (RWD) and 300 Limited (RWD)
Description	Three planetary gearsets, one overrunning clutch, full electronic control, electronically controlled torque converter clutch, variable line pressure (VLP)
Gear Ratios	
1st	2.84
2nd	1.57
3rd	1
4th	0.69
Reverse	2.21
Final-drive Ratio	3.90—2.7-liter (RWD); 3.64—3.5-liter (RWD)
Overall Top-gear Ratio	2.70—2.7-liter (RWD); 2.51—3.5-liter (RWD)

2010 CHRYSLER 300 SPECIFICATIONS

TRANSMISSION: FIVE-SPEED AUTOMATIC WITH AUTO STICK

Availability	Standard on 300 Touring Signature AWD, 300 Limited AWD and 300C
Description	Adaptive electronic control, Auto Stick driver-interactive manual control and electronically modulated torque converter clutch
Gear Ratios	
1st	3.59
2nd	2.19
3rd	1.41
4th	1
5th	0.83
Reverse	3.17
Final-drive Ratio	2.65—(RWD); 3.06—(AWD)
Overall Top-gear	2.20—(RWD); 2.54—(AWD)

TRANSFER CASE

Availability	Standard with all-wheel drive
Type	Active, fully-variable with front-axle disconnect
Center Differential	Planetary
Torque Split, Front/Rear	Fully variable

ELECTRICAL SYSTEM

Alternator	300—140-amp 300 Touring, 300 Limited and 300C—160-amp
Battery	H7 Case, 730 CCA, maintenance-free

DIMENSIONS AND CAPACITIES^(d)

Wheelbase	120.0 (3048); LWB Package—126.0 (3200)
Track, Front	63.0 (1600)
Track, Rear	63.1 (1603)
Overall Length	196.8 (4999); LWB Package—202.8 (5151)
Overall Width	74.1 (1881)
Overall Height	58.4 (1483)
Ground Clearance	5.6 (143)
Frontal Area, sq. ft. (sq. m)	25.4 (2.36)
Rear-wheel Drive	
Drag Coefficient	300 Touring—0.331 300 Touring Signature and 300 Limited—0.340 300C—0.350
Curb Weight, lb. (kg)	300 Touring—3725 (1693.2) 300 Touring Signature and 300 Limited—3803 (1728.6) 300C—4097 (1862.3) 300 Touring Signature LWB—3863 (1756) 300C LWB—4197 (1907.7)
Weight Distribution, F/R	RWD—300 Touring, 300 Touring Signature and 300 Limited—53/47; 300C—54/46 AWD models—55/45
Fuel Tank Capacity, gal. (L)	300 Touring, 300 Touring Signature and 300 Limited —18 (68) 300C—19 (72)

2010 CHRYSLER 300 SPECIFICATIONS

All-wheel Drive

Drag Coefficient	300 Touring Signature, Limited, 300C—0.360
Curb Weight, lb. (kg)	300 Touring Signature—4027 (1830.5) 300 Limited—4048 (1840) 300C—4280 (1945.5)
Weight Distribution, F/R	300 Touring Signature, 300 Limited, 300C—55/45
Fuel Tank Capacity, gal. (L)	300 Touring Signature, 300 Limited, 300C—19 (72)

⁽⁶⁾ All dimensions measured at curb weight with standard tires.

ACCOMMODATIONS

Seating Capacity, F/R	2/3
Front	
Head room	38.7 (983)
Leg room	41.8 (1061)
Shoulder room	59.4 (1510)
Hip room	55.9 (1420)
Seat travel	Driver—10.6 (270), passenger—8.66 (220)
Recliner angle range	Driver—70°, passenger—69°
SAE volume, cu. ft. (cu. m)	55.6 (1.58)
Rear	
Head room	38.0 (965)
Leg room	40.2 (1020); LWB Package—46.0 (1168)
Knee clearance	4.8 (122)
Shoulder room	57.7 (1466)
Hip room	55.9 (1421)
SAE volume, cu. ft. (cu. m)	51.0 (1.44)
Total Interior Volume, cu. ft. (cu. m)	106.6 (3.02); LWB Package—116.8 (3.30)
SAE Cargo Volume, cu. ft. (cu. m)	15.6 (.442)
EPA Interior Volume Index, cu. ft. (cu. m)	122.2 (3.46)
Trunk Lift-over Height	RWD—30.2 (768); AWD—31.2 (793)

BODY

Layout	Longitudinal front engine, rear-wheel drive or all-wheel drive
Construction	Steel unibody

SUSPENSION

Front	Independent SLA with high upper "A" arm, coil spring over gas-charged shock absorbers and stabilizer bar—Standard All Lateral and diagonal lower links with dual ball joint knuckle—Standard RWD Lower "A" arm—Standard AWD
Rear	Five-link independent with coil springs, gas-charged shock absorbers and isolated suspension cradle—Standard All Rear stabilizer bar— Standard 300C, Limited (RWD) and AWD models

STEERING

Type	Rack-and-pinion with hydraulic power assist
Overall Ratio	16.1:1
Turning Diameter (curb-to-curb)	38.9 ft. (11.9 m)
Steering Turns (lock-to-lock)	2.75 (RWD); 2.90 (AWD)

2010 CHRYSLER 300 SPECIFICATIONS

TIRES

Availability	Standard on 300 Touring
Size and type	P215/65R17 98T BSW all-season ride
Mfr. and model	Goodyear Integrity
Revs per mile (km)	739 (462)
Availability	Standard on 300 Touring Signature and Limited (RWD/AWD)
Size and type	P225/60R18 99H BSW all-season touring
Mfr. and model	Continental ProContact
Revs per mile (km)	730 (456)
Availability	Standard on 300C RWD/AWD
Size and type	P225/60R18 99H BSW all-season touring self-sealing
Mfr. and model	Continental ProContact Self-sealing
Revs per mile (km)	730 (456)
Availability	Standard on 300C Heritage Edition
Size and type	245/45R20 BSW all-season performance
Mfr. and model	Goodyear Eagle RS-A
Revs per mile (km)	725 (451)

WHEELS

Availability	Standard on 300 Touring (RWD)
Type and material	Machined cast-aluminum
Size	17 x 7.0
Availability	Standard on 300 Touring Signature, Limited and 300C (RWD)
Type and material	Chrome-clad cast-aluminum
Size	18 x 7.5
Availability	Standard on 300 Touring Signature, 300 Limited and 300C (AWD)
Type and material	Chrome-clad cast-aluminum
Size	18 x 7.5
Availability	Standard on 300C Heritage Edition
Type and material	Chrome-clad cast-aluminum
Size	20 x 8

2010 CHRYSLER 300 SPECIFICATIONS

BRAKES

Availability	Standard on 300 Touring, 300 Touring Signature and 300 Limited (RWD)
Front	
Rotor size and type	12.6 x 1.1 (320 x 28) vented
Caliper size and type	2.36 (60) single-piston sliding with aluminum housing
Swept area	254.8 sq. in. (1644 sq. cm)
Rear	
Rotor size and type	12.6 x 0.4 (320 x 10) solid
Caliper size and type	1.65 (42) single-piston sliding with aluminum housing
Swept area	260.4 sq. in. (1680 sq. cm)
Four-wheel Anti-lock Disc Brakes, all-speed traction control System	Standard—300 Touring Signature, 300 Limited; Optional—300 Touring
Electronic Stability Control (ESC) and Brake Assist	Standard—300 Touring Signature, 300 Limited; Optional—300 Touring
Power-assist Type	8x9 (203 x 229) tandem-diaphragm vacuum booster, Standard
<hr/>	
Availability	Standard on 300C and all AWD models
Front	
Rotor size and type	13.6 x 1.1 (345 x 28) vented
Caliper size and type	1.65 (42) dual-piston sliding with aluminum housing
Swept area	292 sq. in. (1884 sq. cm)
Rear	
Rotor size and type	12.6 x 0.87 (320 x 22) vented
Caliper size and type	1.65 (42) single-piston sliding with aluminum housing
Swept area	260.4 sq. in. (1680 sq. cm)
Four-wheel Anti-lock and Traction Control	Standard
Electronic Stability Control (ESC) and Brake Assist	Standard
Power-assist Type	8 x 9 (203 x 229) tandem-diaphragm vacuum booster, Standard

2010 CHRYSLER 300 FEATURE AVAILABILITY

LEGEND: S = Standard, O = Optional, P = Package, — = Not available

Complete package information is listed at the end of the Feature Availability section.

NOTE: Information shown is correct at time of publication and is subject to change.

	300 Touring RWD	300 Touring Signature RWD	300 Touring Signature AWD	300 Limited RWD	300 Limited AWD	300C RWD	300C AWD
EXTERIOR							
Colors							
Bright Silver Metallic Clear Coat							
Brilliant Black Crystal Pearl Coat							
White Gold Crystal Pearl Coat							
Cool Vanilla Clear Coat							
Dark Titanium Metallic Clear Coat							
Deep Water Blue Pearl Coat							
Inferno Red Crystal Pearl Coat							
Dark Cordovan Crystal Pearl Coat	0	0	0	0	0	0	0
Badging							
Rear Chrysler Wing	S	S	S	S	S	S	S
300 Touring	S	—	—	—	—	—	—
300 Touring Signature Series	—	S	S	—	—	—	—
300 Limited	—	—	—	S	S	—	—
300C Medallion	—	—	—	—	—	S	S
300 HEMI® C	—	—	—	—	—	S	S
AWD	—	—	S	—	S	—	S
Defroster—Electric rear window	S	S	S	S	S	S	S
Door Handles—Body-color	S	S	S	S	S	—	—
Chromed	S	S	S	S	S	S	S
Fascias—Body-color	S	S	S	S	S	S	S
Grille—Argent	S	S	S	—	—	—	—
Mesh-patterned chromed grille	—	—	—	S	S	S	S
Lamps							
Halogen headlamps	S	S	S	—	—	—	—
Projector quad halogen headlamps with delay	—	—	—	S	S	S	S
High-intensity Discharge (HID) Xenon headlamps	—	—	—	—	—	0	0
Automatic headlamps	—	S	S	S	S	S	S
SmartBeam® intelligent headlamp system (Luxury Package)	—	—	—	P	P	S	S
Fog lamps	S	S	S	S	S	S	S
Mirrors							
Chromed, heated	S	S	S	—	—	—	—
Chromed, power, heated, fold-away with memory feature and driver's auto-dimming and auto-adjust in Reverse	—	—	—	S	S	S	S
Supplemental signal mirrors with puddle lamps and passenger side auto-dimming (Luxury Group II)	—	—	—	—	—	P	P
Molding							
Body-side—Body-color with chromed insert	P	S	S	S	S	S	S
Sun roof—Power with express-open/-close feature (Luxury Package)							
	—	0	0	0/P	0/P	0	0
Trunk-lid Release—Power							
	S	S	S	S	S	S	S

2010 CHRYSLER 300 FEATURE AVAILABILITY

	300 Touring RWD	300 Touring Signature RWD	300 Touring Signature AWD	300 Limited RWD	300 Limited AWD	300C RWD	300C AWD
Wiper System							
Variable intermittent	S	S	S	S	S	—	—
Rain-sensing (Luxury Package)	—	—	—	P	P	S	S
Window Surrounds—Chromed	—	—	—	S	S	S	S
INTERIOR							
Air Conditioning							
Manual temperature controls	S	—	—	—	—	—	—
Automatic dual-zone climate control with infrared sensors and individual driver/passenger settings	—	S	S	S	S	S	S
Air Filtration	S	S	S	S	S	S	S
Clock—Analog	S	S	S	S	S	S	S
Electronic Vehicle Information Center (EVIC), compass, HomeLink universal transceiver, auto-dimming interior rearview mirror, in-cluster reconfigurable display and trip computer, and steering wheel-mounted audio controls	—	—	—	S	S	S	S
Interior Colors:							
Dark Slate Gray Verona cloth seats	0	—	—	—	—	—	—
Medium Slate Gray Verona cloth seats	0	—	—	—	—	—	—
Light Slate Gray Torino leather-trimmed seats	—	0	0	—	—	—	—
Light Graystone Torino leather-trimmed seats	—	0	0	0	0	—	—
Light Slate Gray Royale leather-trimmed seats	—	—	—	—	—	0	0
Light Graystone Royale leather-trimmed seats	—	—	—	—	—	0	0
Upper Trim:							
Dark Slate Gray upper trim	0	0	0	0	0	0	0
Dark Khaki upper trim	0	0	0	0	0	0	0
Interior Accents							
Bright	S	S	S	—	—	—	—
Faux wood	—	—	—	—	—	—	—
Tortoise Shell-style, including steering wheel and door pulls	—	—	—	S	S	S	S
California Walnut wood	—	—	—	O/P	O/P	O/P	O/P
Poplar Burl Wood (Heritage Edition)	—	—	—	—	—	P	—
Console—Floor (includes two cup holders, covered storage, dual-bin armrest with tissue holder and pen holder)	S	S	S	S	S	S	S
Floor Mats							
Front and rear	S	S	S	S	S	S	S
Luxury	—	—	—	—	—	P	P
Instrument Cluster							
Electroluminescent, tachometer, 140-mph speedometer	S	S	S	S	S	—	—
Electroluminescent, tachometer, 160-mph speedometer	—	—	—	—	—	S	S
In-cluster outside temperature display	S	S	S	S	S	S	S
Speed Control indicator light	S	S	S	S	S	S	S

2010 CHRYSLER 300 FEATURE AVAILABILITY

	300 Touring RWD	300 Touring Signature RWD	300 Touring Signature AWD	300 Limited RWD	300 Limited AWD	300C RWD	300C AWD
Lamps							
Front reading/map	S	S	S	S	S	S	S
Rear reading courtesy	S	S	S	S	S	S	S
LED lighting front/rear door map pockets	—	—	—	S	S	S	S
LED lighting in front cup holders,	S	S	S	S	S	S	S
Glove box	S	S	S	S	S	S	S
Front door courtesy puddle	S	S	S	S	S	S	S
Map Pockets—Front/rear door							
Front seatback	S	S	S	S	S	S	S
Mirror							
Day/night	S	S	S	—	—	—	—
Auto-dimming rearview	P	P	P	S	S	S	S
Illuminated visor vanity	S	S	S	S	S	S	S
Memory—Radio presets, driver's seat, exterior mirrors, steering column tilt/telescoping and power adjustable pedals							
	—	—	—	—	—	S	S
Power-adjustable pedals (Comfort/Convenience Group and Executive Series)							
With memory	0	P	P	S	S	—	—
Power Outlets—12-volt, located in instrument panel and center console							
	S	S	S	S	S	S	S
Remote Start (Luxury Package)							
	—	—	—	P	P	S	S
Seats—Front							
Cloth-trimmed	S	—	—	—	—	—	—
Leather-trimmed	—	S	S	S	S	S	S
Eight-way power, driver	S	S	S	S	S	S	S
Eight-way power passenger with power recline (Comfort/Convenience Group and Executive Series)	—	P	P	S	S	S	S
Driver/passenger adjustable lumbar support	S	S	S	S	S	S	S
Heated front (Comfort/Convenience Group and Executive Series)	—	P	P	S	S	S	S
Heated second row (Luxury Group II)	—	—	—	—	—	P	P
Seat—Rear							
60/40 split, folding with armrest and cup holders	S	S	S	S	S	S	S
Shift Knob							
Urethane	S	—	—	—	—	—	—
Leather-wrapped with chromed accent	—	S	S	S	S	S	S
SIRIUS Satellite Radio							
	P	S	S	S	S	S	S

2010 CHRYSLER 300 FEATURE AVAILABILITY

	300 Touring RWD	300 Touring Signature RWD	300 Touring Signature AWD	300 Limited RWD	300 Limited AWD	300C RWD	300C AWD
Sound Systems							
AM/FM/CD/MP3 radio	S	S	S	—	—	—	—
Uconnect Multimedia	—	S	S	S	S	S	S
Uconnect Navigation	—	—	—	0	0	0	0
Four-speaker system	S	S	S	—	—	—	—
Six-speaker system	—	—	—	S	S	—	—
Six-speaker Boston Acoustic sound system with 276-watt digital (DSP) amplifier (Luxury Package)	—	—	—	P	P	S	S
Eight-speaker Boston Acoustics, 368-watt DSP 5.1 Matrix Surround Sound amplifier including subwoofer (Luxury Group II or Heritage Edition)	—	—	—	—	—	P	P
Rear-seat Vehicle Entertainment System (VES®): Includes console-mounted 7-inch LCD screen, DVD player with auxiliary audio/video input jacks and two wireless two-channel headphones	—	—	—	0	0	0	0
Speed Control with instrument panel indicator light							
Adaptive-cruise Control (ACC)	—	—	—	—	—	P	P
Steering Column—Tilt and telescoping							
Power tilt and telescoping with memory	—	—	—	—	—	S	S
Steering Wheel							
Urethane	S	—	—	—	—	—	—
Leather-wrapped	—	S	S	S	S	—	—
With audio controls (packaged with Uconnect Multimedia and Uconnect Navigation)	P	P	P	S	S	S	S
Leather-wrapped with Tortoise Shell-style upper accent	—	—	—	S	S	S	S
Leather-wrapped with Genuine California Walnut accent (packaged with Luxury Package, Luxury Group II and available on LWB Touring model only)	—	P	—	0/P	0/P	0/P	0/P
Trunk Deck-lid Liner							
	S	S	S	S	S	S	S
Uconnect Phone							
	P	P	P	P	P	P	P
iPod® Control (packaged with Uconnect Phone)							
	P	P	P	P	P	P	P
Windows							
Driver-side one-touch-down power windows	S	S	S	—	—	—	—
Driver and front passenger power one-touch-up/-down windows with auto-reverse sensing system (Comfort/Convenience Group and Executive Series)	—	P	P	S	S	S	S

POWERTRAIN AND CHASSIS

Rear-wheel Drive System	S	S	—	S	—	S	—
All-wheel Drive System	—	—	S	—	S	—	S
2.7-liter DOHC 24-valve 178 hp V-6 engine	S	—	—	—	—	—	—
3.5-liter SOHC High Output 24-valve 250 hp V-6 engine	—	S	S	S	S	—	—
5.7-liter HEMI® Multi-displacement System (MDS) 360 hp V-8 engine	—	—	—	—	—	S	S
Four-speed automatic variable-line pressure (VLP) transmission	S	S	—	S	—	—	—
Five-speed automatic transmission with Auto Stick	—	—	S	—	S	S	S
Adaptive-cruise Control (ACC)	—	—	—	—	—	0	0

2010 CHRYSLER 300 FEATURE AVAILABILITY

	300 Touring RWD	300 Touring Signature RWD	300 Touring Signature AWD	300 Limited RWD	300 Limited AWD	300C RWD	300C AWD
Brakes							
Power four-wheel disc	S	—	—	—	—	—	—
Power, four-wheel disc Anti-lock Brake System (ABS)	P	S	S	S	S	—	—
Performance four-wheel disc Anti-lock Brake System (ABS)	—	—	—	—	—	S	S
Dual Exhaust with Chromed Tips	—	—	—	—	—	S	S
Electronic Stability Control (ESC) with Brake Assist and all-speed traction control	O/P	S	S	S	S	S	S
Engine Block Heater	O	O	O	O	O	O	O
Enhanced Battery Saver	S	S	S	S	S	S	S
Fuel Tank—18-gallon	S	S	—	S	—	—	—
Fuel Tank—19-gallon	—	—	S	—	S	S	S
Power Accessory Delay	S	S	S	S	S	S	S
Tire-pressure Monitoring (TPM) with Warning Lamp	S	S	S	S	S	—	—
Tire-pressure Monitoring (TPM) with Display	—	—	—	—	—	S	S
Tire—Spare, Compact	S	S	S	S	S	S	S
Tires							
P215/65R17 BSW all-season	S	—	—	—	—	—	—
P225/60R18 BSW all-season touring	—	S	S	S	S	—	—
P225/60R18 BSW all-season touring self-sealing	—	—	—	—	—	S	S
P245/45R20 BSW all-season touring (Heritage Edition)	—	—	—	—	—	P	—
Wheels							
17-inch machined aluminum	S	—	—	—	—	—	—
18-inch chrome-clad aluminum	—	S	S	S	S	S	S
20-inch ultra-bright aluminum (Heritage Edition)	—	—	—	—	—	P	—

SAFETY AND SECURITY

Air Bags

Advanced multi-stage driver and front-passenger ^(a)	S	S	S	S	S	S	S
Front and rear side-curtain	S	S	S	S	S	S	S
Anti-lock Brake System (ABS) and all-speed traction control	P	S	S	S	S	S	S
Auto-reverse Power Windows (Comfort/Convenience Group and Executive Series)	—	P	P	S	S	S	S
Auto-reverse, Anti-pinch Sun Roof (Luxury Package)	—	O	O	O/P	O/P	O	O
Brake/Park Interlock	S	S	S	S	S	S	S
Crumple Zones	S	S	S	S	S	S	S
Door Locks							
Vehicle speed-sensitive automatic power with illuminated switches	S	S	S	S	S	S	S
Central locking	S	S	S	S	S	S	S
Child-protection, rear	S	S	S	S	S	S	S
Electronic Stability Control (ESC) with Brake Assist	O	S	S	S	S	S	S
Energy-absorbing Steering Column	S	S	S	S	S	S	S
Enhanced Accident Response System (EARS)	S	S	S	S	S	S	S
HomeLink universal transceiver	—	—	—	S	S	S	S

2010 CHRYSLER 300 FEATURE AVAILABILITY

	300 Touring RWD	300 Touring Signature RWD	300 Touring Signature AWD	300 Limited RWD	300 Limited AWD	300C RWD	300C AWD
Interior Head-impact Protection	S	S	S	S	S	S	S
Keyless Entry/Keyless Go	—	—	—	—	—	S	S
Knee Bolsters	S	S	S	S	S	S	S
Lower Anchors and Tethers for CHildren (LATCH)							
Child Seat Anchor System	S	S	S	S	S	S	S
Oil Change Alert, automatic	S	S	S	S	S	S	S
ParkSense® rear park assist system	—	—	—	—	—	S	S
Power-adjustable Pedals (Executive Series and Comfort/Convenience Group)	O	P	P	S	S	—	—
With memory	—	—	—	—	—	S	S
Remote Keyless/Illuminated Entry System with Panic Button, Two Key Fobs	S	S	S	S	S	S	S
Remote start (Luxury Package)	—	—	—	P	P	S	S
Seat Belts							
Front: Height-adjustable three-point belts with Constant-force Retractors (CFR), pretensioners and traveling buckles	S	S	S	S	S	S	S
Rear: Three-point for all seating positions	S	S	S	S	S	S	S
Seat Belt Alert	S	S	S	S	S	S	S
Sentry Key® engine immobilizer—Theft deterrent system	S	S	S	S	S	S	S
SmartBeam® intelligent headlamp system	—	—	—	P	P	S	S
Trunk Lid—Internal emergency release	S	S	S	S	S	S	S
Uconnect Navigation	—	O	O	O	O	O	O
Uconnect Phone (includes auto-dimming rearview mirror)	P	P	P	P	P	P	P
Vehicle Theft Security Alarm	—	—	—	S	S	S	S
Xenon High-intensity Discharge (HID) Headlamps	—	—	—	—	—	O	O

^(a) Certified to the federal regulation for automatic passenger occupant classification. Always use seat belts. Children 12 and under should always be in a back seat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and size.

2010 CHRYSLER 300 FEATURE AVAILABILITY

	300 Touring RWD	300 Touring Signature RWD	300 Touring Signature AWD	300 Limited RWD	300 Limited AWD	300C RWD	300C AWD
PACKAGES / EQUIPMENT GROUPS							
Comfort/Convenience Group —Includes heated front seats; power passenger seat; power adjustable pedals; and express up/down front windows	—	0	0	—	—	—	—
Luxury Equipment Group II —Includes Adaptive-cruise Control (ACC); HID headlamps; exterior mirrors with supplemental turn signals; passenger-side auto-dimming, and puddle lamps; heated rear seats; Boston Acoustics with seven speakers and 368-watt amplifier; and California Walnut real wood trim	—	—	—	—	—	0	0
Walter P. Chrysler Executive Series —Touring model—Adds six inches to overall length, additional 10.2 cubic feet of interior space and has 46 inches of rear leg room. Includes W.P. Chrysler Executive Series badge, express up/down front windows, eight-way power passenger seat, and heated front seats	—	0	—	—	—	—	—
Walter P. Chrysler Executive Series —300C model—Adds six inches to overall length, 10.2 cubic feet of interior space and has 46 inches of rear leg room	—	—	—	—	—	0	—
Luxury Package —Includes sun roof, Boston Acoustic six-speaker sound system with 276-watt amplifier, real wood trim, remote start, rain-sensing wipers, SmartBeam® headlamps, and exterior mirrors with supplemental turn signals, puddle lamps and passenger-side auto-dimming	—	—	—	0	0	—	—
300C Heritage Edition —Adds Boston Acoustic eight-speaker, 368-watt DSP amp with Matrix 5.1 surround sound system, real wood (Poplar Burl) steering-wheel upper, door pulls/accents, center console bezel, and instrument-panel trim, leather-wrapped shift knob with chromed insert, front/rear Berber floor mats, heated rear seats, performance front seats with perforated suede inserts, chromed body-side molding, chromed grille, 20-inch ultra-bright wheels, and exterior mirrors with passenger side auto-dimming, supplemental turn signals and puddle lamps	—	—	—	—	—	0	—

Legend: S = Standard O = Optional P = Available within package or group — = Not available
O/P = Available as stand-alone option or as part of package/group)

NOTE: The information shown here is preliminary and is based on data available at the time of publication.

NOTES

300

A series of horizontal dotted lines for taking notes.