

LEGEND: S = Standard, O = Optional, P = Package, — = Not available, LPO = Limited Product Offering Complete package information is listed at the end of the Feature Availability section. NOTE: Information shown is correct at time of publication and is subject to change.

	Cargo Van (1500, 2500, 3500)	Cutaway (3500)	Chassis Cab (3500)	Window Van (2500)
CONFIGURATION				
1500 Cargo Van – 118-in. wheelbase – low roof (8,550-lb. GVWR)	0	_	_	_
1500 Cargo Van – 136-in. wheelbase – low roof (8,550-lb. GVWR)	0	_		_
1500 Cargo Van – 136-in. wheelbase – high roof (8,550-lb. GVWR)	0	_	_	_
2500 Cargo Van – 136-in. wheelbase – high roof (8,900-lb. GVWR)	0	_	_	_
2500 Cargo Van – 159-in. wheelbase – high roof (8,900-lb. GVWR)	0	_	_	_
3500 Cargo Van – 159-in. wheelbase – high roof (9,350-lb. GVWR)	0			
3500 Cargo Van – 159-in. wheelbase EXT – high roof (9,350-lb. GVWR)	0			_
2500 Chassis Cab – 136-in. wheelbase – low roof, 81-in. cab to axle (8,900-lb. GVWR)	_	0	_	_
3500 Chassis Cab – 159-in. wheelbase – low roof, 104-in. cab to axle (9,350-lb. GVWR)	_	0	_	
2500 Chassis Cab – 159-in. wheelbase EXT – low roof, 104-in. cab to axle (8,900-lb. GVWR)	_	0	_	_
3500 Cut-Away – 136-in. wheelbase – low roof, 81-in. cab to axle (9,350-lb. GVWR)	_		0	_
3500 Cut-Away – 159-in. wheelbase – low roof, 104-in. cab to axle (9,350-lb. GVWR)	_	_	0	_
3500 Cut-Away – 136-in. wheelbase EXT – low roof, 104-in cab to Axle (9,350-lb. GVWR)	_	_	0	_
2500 Window Van - 159-in. wheelbase, high roof (8,900-lb. GVWR)	_	_	_	0
POWERTRAIN				
3.6-liter V-6 gas engine (ERB) with six-speed 62TE automatic transmission	S	S	S	S
3.0-liter I-4 turbo diesel engine (EXG) with six-speed automated manual transmission	0	0	0	0
MECHANICAL FEATURES				
Alternator				
180-amp	S			S
220-amp (optional on 3.6-liter gas engine, standard on 3.0-liter diesel engine)	0	S	S	0



	Cargo Van (1500, 2500, 3500)	Cutaway (3500)	Chassis Cab (3500)	Window Van (2500)
Axle				
3.86 ratio (standard with 3.6-liter V-6 gas engine)	S	S	S	S
4.56 ratio (standard on 3.0-liter diesel engine)	0	0	0	0
Battery				
95 amp, 800 amps cranking (included with 3.6-liter gas engine)	S	S	S	S
100 amp, 950 amps cranking (included with 3.0-liter diesel engine)	Р	Р	Р	Р
Cold weather kit — available with diesel engine	0	0	0	0
Engine Block Heater				
3.6-liter gas (includes engine block heater)	0	0	0	0
3.0-liter diesel (includes engine block, transmission fluid, and gear box heaters)	0	0	0	0
Engine oil cooling — heavy duty (included with 3.6-liter gas engine)	Р	Р	Р	Р
Auxiliary transmission cooler, heavy duty (included with 3.6-liter gas engine)	Р	Р	Р	Р
Trailer hitch with wiring	0	_		0
Trailer wiring		0	0	
Fuel Tank				
24-gallon	S	S	S	S
Auxiliary fuel tap	S	S	S	S
Remote Start — Mopar	0	0	0	0
Shock Absorbers				
Front, twin tube	S	S	S	S
Rear, heavy duty	S	S	S	S
Steering — hydraulic power (rack and pinion)	S	S	S	S
Suspension				
Front, McPherson struts, GVWR tuned control arms, cast iron knuckles, solid stabilizer bar	S	S	S	S
Rear, single leaf spring, drop axle configuration	S	S	S	S
1500 GVWR light-duty suspension 118-in. wheelbase	S	_	_	_
1500 GVWR medium-duty suspension 136-in. wheelbase	S	_	_	_
2500 GVWR heavy-duty suspension 136-in. and 159-in. wheelbases	S	_	_	_
3500 GVWR heavy-duty suspension with 20mm diameter rear sway bar	S	S	S	0
2500 GVWR touring suspension	_	_	_	S
3500 GVWR RV suspension with 26mm diameter rear sway bar		0	0	



	Cargo Van (1500, 2500, 3500)	Cutaway (3500)	Chassis Cab (3500)	Window Van (2500)
EXTERIOR				
Badge				
Ram head (front grille)	S	S	S	S
Ram head, (rear door)	S	_	_	S
Ram ProMaster1500/2500/3500 (front doors)	S	S	S	S
Body side moldings	S	S	S	S
Bumpers — rear, black	S	_	_	S
Doors				
Right side sliding door	S	_	_	_
Right side sliding door with glass	0	_	_	S
Left side sliding door	0	_	_	_
Left side sliding door with glass	0	_	_	_
Rear doors with 260 degree opening	S	_	_	_
Rear doors with glass 260 degree opening	0	_	_	S
Door handles — black	S	S	S	S
Exhaust — single rear exit	S	S	S	S
Fascia — front, black	S	S	S	S
Front license plate bracket	0	0	0	0
Fog lamps (included in Exterior Appearance Group)	Р	Р	Р	Р
Glass				
Clear windshield, front doors	S	S	S	S
Dark Tinted windows (rear)	0	_	_	S
Rear door window security guards — Mopar	0	_	_	_
Grille				
Front, black grille	S	S	S	S
Front, bright grille (included with Premium Appearance Package)	Р	Р	Р	Р
Headlamps				
Enhanced halogen quad headlamps	S	S	S	S
Daytime running lamps	0	0	0	0
Mud Flaps				
Front	LPO	LPO	LPO	LPO
Front and Rear	LPO	_		LPO



	Cargo Van (1500, 2500, 3500)	Cutaway (3500)	Chassis Cab (3500)	Window Van (2500)
Mirrors, Exterior				
Manual, black, dual lens, turn signal repeaters	S	_	_	S
Extended manual, black, dual lens, turn signal repeaters	_	S	S	_
Power (both lens), heated, folding	0	_	_	0
Extended Power (both lens), heated	0	0	0	0
Paint — monotone	S	S	S	S
Bright White	0	0	0	0
Black	0	0	0	0
Flame Red	0	0	0	0
Deep Cherry Red Crystal Metallic	0	0	0	0
True Blue Metallic	0	0	0	0
Bright Silver Metallic	0	0	0	0
Granite Crystal Metallic	0	0	0	0
Sandstone Metallic	0	0	0	0
Tail lamps				
Incandescent	S	S	S	S
Six-foot tail lamp wiring harness extension	_	S	S	_
Tires				
LT225/75R16E BSW All-season	S	S	S	S
Spare tire, full size	S	S	S	S
Temporary frame mounted spare	_	0	0	_
Delete spare tire	LPO	LPO	LPO	LPO
Tire-pressure monitoring	S	S	S	S
Tire inflator and sealant kit	0	0	0	0
Wheels				
16 x 6-in. five lug, silver painted steel wheel with partial wheel cover	S	S	S	S
16 x 6-in. five lug, silver painted steel wheel with full wheel cover	0	0	0	0
16 x 6-in. five lug, aluminum wheel with cast split-spokes	0	0	0	0
16 x 6-in. five lug white painted steel wheel	LPO	LPO	LPO	LPO
Delete center cap	LPO	LPO	LPO	LPO
Steel spare	S	S	S	S
Delete spare (includes air compressor and tire sealant kit)	LPO	LPO	LPO	LPO
Windshield wipers — variable intermittent	S	S	S	S



	Cargo Van (1500, 2500, 3500)	Cutaway (3500)	Chassis Cab (3500)	Window Van (2500)
INTERIOR				
Climate Control				
Single-zone manual heater, A/C temperature control	S	S	S	S
Single-zone manual heater	0	0	0	0
Rear heater, A/C prep	0	0	0	0
Bezel — center stack (black)	S	S	S	S
Cargo lamps	S	_	_	S
Cargo LED light bars — Mopar	0			0
Cargo Partitions				
No partition	S			S
Solid partition	0	_	_	_
Window partition-sliding glass	0	_	_	_
Cargo side-wall lower panel	0	_	_	0
Cargo side-wall upper and lower panel	0	_	_	0
Cluster				
Large rpm and speedometer gauges and smaller fuel and engine temperature gauges with red LED illuminated needles	S	S	S	S
Reconfigurable dot-matrix EVIC screen in center of display with menu selection switches located on instrument panel left side	S	S	S	S
Tachometer	S	S	S	S
Trip computer	S	S	S	S
Oil level sensor	S	S	S	S
Colors — interior trim (black / gray)	S	S	S	S
Cup holders — center stack (3)	S	S	S	S
Door Locks				
Power speed sensitive	S	S	S	S
Remote keyless entry	S	S	S	S
Keys — two remote and one valet	S	S	S	S
Additional keys — two remote	0	0	0	0
Electrical — 12-volt upfitter interface connectors (located in passenger side b-pillar)	0	0	0	0
Floor Covering				
Front compartment — rubber	S	S	S	S
Front floor access covers — battery and fuel sending unit	S	S	S	S
Rear compartment — metal floor with cargo tie down loops	S	S	S	S



	Cargo Van (1500, 2500, 3500)	Cutaway (3500)	Chassis Cab (3500)	Window Van (2500)
Rear compartment — wooden with cargo tie down loops	0	0	0	0
Rear compartment — rubber (Mopar)	0	_	_	0
Rear compartment — spray-on liner	0	_	_	0
Floor Mats				
Front, Mopar premium	0	0	0	0
Front, Mopar slush	0	0	0	0
Grab handles				
Driver/passenger assist	S	S	S	S
Rear door assist — Mopar	0	_	_	0
Lighting — courtesy, dome light, incandescent	S	S	S	S
Mirror — rearview				
Manual day/night	S	S	S	S
Mirror delete (included with solid partition)	Р		0	_
Power Outlet				
12-volt Front auxiliary power outlet (replaced by cigarette lighter with smoker package)	S	S	S	S
12-volt Rear auxiliary power outlet	0	_	_	0
Seats				
Cloth — gray / black inserts with black bolsters and head rests	S	S	S	S
Vinyl — gray / black inserts with black bolsters and head rests	0	0	0	0
Driver bucket — six-way adjustable, armrest	S	S	S	S
Driver bucket — six-way adjustable, armrest, lumbar	0	0	0	0
Driver bucket — six-way adjustable, armrest, lumbar, suspension	0	0	0	0
Driver bucket — six-way adjustable, armrest, lumbar, swivel	LPO	LPO	LPO	LPO
Passenger bucket — four-way adjustable	S	S	S	S
Passenger bucket — four-way adjustable, armrest, lumbar	0	0	0	0
Passenger bucket — four-way adjustable, armrest, lumbar, swivel (must have driver swivel seat)	LPO	LPO	LPO	LPO
Passenger dual bench seat — fold down console	0	0	0	0
Passenger seat delete	LPO	LPO	LPO	LPO
Heated driver seat	0	0	0	0
Heated passenger seat	0	0	0	0



	Cargo Van (1500, 2500, 3500)	Cutaway (3500)	Chassis Cab (3500)	Window Van (2500)
Shifter				
Instrument panel-mounted shift lever (six-speed 62TE automatic transmission with 3.6-liter gas engine)	S	S	S	S
Instrument panel-mounted shift lever (six-speed MTA automated manual transmission with 3.0-liter diesel engine)	0	0	0	0
Tow haul	S	S	S	S
Rear-load Compartment Trim				
Lower trim panel	0	_	_	_
Upper/lower trim panels	0	_		
Speed control	0	0	0	0
Steering column — telescoping	S	S	S	S
Steering Wheel				
Urethane	S	S	S	S
Leather wrapped	0	0	0	0
Storage				
Dual glove boxes with closing doors	S	S	S	S
Locking glove box-included with Forward Convenience Package	Р	Р	Р	Р
Sun visors — driver and front-passenger, with storage sleeve	S	S	S	S
Turn signals — three-blink lane-change feature	S	S	S	S
Windows				
Power, front with one touch express down and lift delay	S	S	S	S
Rear defroster	Р	_	_	S
UCONNECT MULTIMEDIA				
Bluetooth connectivity — includes handsfree phone, steering wheel controls, Voice Command	0	0	0	0
Connectivity				
Media Hub (auxiliary)	S	S	S	S
Media Hub (1.0 amp USB, auxiliary)	Р	Р	Р	Р
USB 2.5-amp charging-only port	S	S	S	S
Navigation	0	0	0	0
Radios				
AM/FM MP3 capable with 18 AM/FM preset stations, single din storage	S	S	S	S
Uconnect 5.0 AM/FM/BT/CD with 12 AM/FM preset stations	0	0	0	0



	Cargo Van (1500, 2500, 3500)	Cutaway (3500)	Chassis Cab (3500)	Window Van (2500)
Radio controls — steering-wheel mounted audio controls	Р	Р	Р	Р
SiriusXM Radio	0	0	0	0
Speaker Systems				
Four speakers – two 30-watt tweeters in A-pillars and two 40-watt mid-range in doors	S	S	S	S
SAFETY AND SECURITY				
Air Bags				
Advanced front air bags	S	S	S	S
Supplemental side-curtain air bags	S	S	S	S
Supplemental side-seat air bags	S	S	S	S
Brakes				
Power-assisted four-wheel antilock disc brakes (1500 GVWR)	S	_		
Power-assisted four-wheel antilock disc brakes (2500 GVWR)	S	_	_	S
Power-assisted four-wheel antilock disc brakes (3500 GVWR)	S	S	S	_
DOT Emergency Kit	0	0	0	0
Roof clearance lamps — front	S	S	S	S
Roof clearance lamps — front delete	_	0	0	_
Roof clearance lamps — rear	S	_	_	S
Electronic stability control — includes antilock brakes (ABS), Brake Assist, brake-lock differential, Electronic Roll Mitigation, Hill-start Assist, automatic brake lamp actuation, traction control, engine drag control, trailer-sway control and drift compensation	S	S	S	S
ParkSense rear park assist system	0	_	_	0
ParkView rear backup camera	0	_	_	0
ParkView rear backup camera prep	S	_	_	S
Remote keyless entry — controls for power locks, panic alarm; includes one transmitter	S	S	S	S
Restraints				
Front shoulder height-adjustable (outboard only)	S	S	S	S
Three-point seat belt, front center (when equipped)	S	S	S	S
Security alarm	0	0	0	0
Tire-pressure monitor with display (included with EVIC)	S	S	S	S



	Cargo Van (1500, 2500, 3500)	Cutaway (3500)	Chassis Cab (3500)	Window Van (2500)
GROUPS AND PACKAGES				
Smokers Package — Includes removable ash tray, cigar lighter (replaces 12-volt power outlet)	0	0	0	0
Forward Convenience Package — Includes locking glove box, overhead shelf, windshield document clip, under-seat storage tray	0	0	0	0
Cargo Convenience Group — Includes side wall tie-down loops, rear door storage net	0	_	_	0
Premium Appearance Package — Includes bright front grille, fog lamps	0	0	0	0

