

## FCA CANADA

### 2020 Ram 3500, 4500 & 5500 Chassis Cab

## FEATURE AVAILABILITY

S = Standard. O = Optional. P = Part of package.

*Note: some features and/or applications may be late availability.*

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>CONFIGURATION</b>				
<b>3500</b>				
<b>BODY MODEL</b>				
Regular Cab — 60-in. CA (143.5-in. wheelbase)	S	S	—	—
Regular Cab — 84-in. CA (167.5-in. wheelbase) (N/A with 10,000-lb. GVWR)	S	S	—	—
Crew Cab — 60-in. CA (172.4-in. wheelbase)	O	O	S	S
<b>DRIVE SYSTEM</b>				
4x2	S	S	S	S
4x4	O	O	O	O
<b>4500/5500</b>				
<b>BODY MODEL</b>				
Regular Cab — 60-in. CA (144.5-in. wheelbase)	S	S	—	—
Regular Cab — 84-in. CA (168.5-in. wheelbase)	S	S	—	—
Regular Cab — 108-in. CA (192.5-in. wheelbase)	S	S	—	—
Regular Cab — 120-in. CA (204.5-in. wheelbase)	S	S	—	—
Crew Cab — 60-in. CA (173.5-in. wheelbase)	O	O	S	S
Crew Cab — 84-in. CA (197.4-in. wheelbase)	O	O	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>DRIVE SYSTEM</b>				
4x2	S	S	S	S
4x4	O	O	O	O
<b>POWERTRAIN</b>				
<b>ENGINE / TRANSMISSION</b>				
6.4-litre HEMI® V-8 (3500) with eight-speed 8HP75 automatic transmission	S	S	S	S
6.4-litre HEMI V-8 (3500/4500/5500) with six-speed AS66RC Aisin automatic transmission	S/P	S/P	S/P	S/P
6.7-litre Cummins Turbo Diesel I-6 engine with six-speed AS69RC Aisin automatic transmission	O	O	O	O
<b>MECHANICAL</b>				
<b>ALTERNATOR</b>				
180-amp	S	S	S	S
220-amp, (Included on 3500/4500/5500 models with Heavy-Duty Snowplow Prep Group; included with Electrical Accessory Group and Ambulance Prep Group)	O/P	O/P	O/P	O/P
380-amp (dual 160-amp and 220-amp; requires 6.4-litre)	O	O	O	O
440-amp (dual 220-amp alternators; requires 6.7-litre)	O/P	O/P	O/P	O/P
<b>AXLES: 3500</b>				
Single Rear Wheel Group	S	S	S	S
Dual rear wheels	O	O	O	O
Front, 2,722 kg (6,000 lb.) GAWR (SRW axle)	S	S	S	S
Rear, 11.50-in. (SRW axle)	S	S	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
Front, 205 mm (DRW axle)	S/O	S/O	S/O	S/O
Rear, 11.50-in. (DRW axle)	S/O	S/O	S/O	S/O
Rear, 12.0-in. (DRW axle)	P	P	P	P
<b>AXLE RATIOS: 3500</b>				
3.73 ratio (packaged with diesel models only)	P	P	P	P
4.10 ratio (standard with gas)	S	S	S	S
Rear, anti-spin differential	S	S	S	S
<b>AXLES: 4500/5500</b>				
Dual rear wheel	S	S	S	S
Front, 10.5-in.	S	S	S	S
Front, 10.5-in., 7,250 lb. GAWR	O	O	O	O
Front axle disconnect (4500/5500 4x4)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>AXLE RATIOS: 4500</b>				
Rear, 4.10 ratio (packaged with 4500 with 6.7-litre engine)	P	P	P	P
4.44 ratio	S	S	S	S
4.89 ratio (available with 6.4-litre engine)	O/P	O/P	O/P	O/P
Rear, American Axle (5,443 kg (12,000 lb.) GAWR)	S	S	S	S
<b>AXLE RATIOS: 5500</b>				
4.44 ratio	S	S	S	S
4.89 ratio	O/P	O/P	O/P	O/P
Rear, American Axle, 6,123 kg (13,500 lb.) GAWR)	S	S	S	S
<b>FUEL TANK</b>				
197-litre (52-gallon), rear	S	S	S	S
280-litre (74-gallon) dual fuel tanks [197 and 83 litres (52 and 22 gals.)]	O	O	O	O
83-litre (22-gallon) mid-ship fuel tank	O	O	O	O

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>POWER TAKE OFF (PTO)</b>				
Stationary elevated engine idle up	S	S	S	S
Right-side PTO	O	O	O	O
Left-side PTO	O	O	O	O
Split-shaft PTO (packaged with PTO, if diesel)	P	P	P	P
Hard-wired remote start/stop (packaged with PTO)	P	P	P	P

## EXTERIOR

### ENGINE SHUT-OFF TIMER

6.4 litre and 6.7 litre (5 minutes) (dealer programmable from 1 to 60 minutes)	O	O	O	O
--	---	---	---	---

## INTERIOR

### INSTRUMENT CLUSTER DISPLAYS

Cluster 3.5-in. TFT B&W display	S	S	—	—
Cluster 3.5-in. TFT color display	—	P	—	—
Cluster 7.0-in. TFT color display	P	P	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>UP-FITTER INTERFACE</b>				
Vehicle system interface module (VSIM)	S	S	S	S
<b>UCONNECT MULTIMEDIA</b>				
<b>BLUETOOTH</b>				
Uconnect Voice Command with Bluetooth	S	S	S	S
<b>COMPASS</b>				
Compass display in the radio (Tradesman availability only with optional 5.0-in. radio)	P	S	S	S
GPS antenna input on radio (packaged with 5.0-in., 8.4-in. and 12.0-in. radios)	P	P	P	P
<b>CONNECTIVITY</b>				
Front: Media hub — includes two fully functional type A/C USB port pairs and one auxiliary jack (four USB connection points)	S	S	S	S
Middle: 2.5-amp charge only single USB port (located in center console or armrest)	S	S	S	S
Rear: Dual remote USB port 2 A/C pairs; one pair fully functional, one pair charge only (packaged with Luxury Group)	—	P	S	S
Auxiliary headphone jack for mobile devices	S	S	S	S
Wireless charging pad (includes CD player; packaged with Laramie)	—	—	P	S
<b>POWER</b>				
Accessory delay	S	S	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
Auxiliary outlets (one battery and one ignition-fed)	S	S	S	S
115-volt auxiliary power outlet, instrument panel-mounted (Tradesman option) (SLT packaged)	O	P	S	S
115-volt auxiliary power outlet, rear facing, (Crew Cab only) (packaged with SLT)	—	P	S	S
400-watt inverter	P	P	P	P
<b>RADIOS</b>				
Uconnect 3.0 (handsfree Bluetooth), associated display	S	—	—	—
Uconnect 5.0 — AM/FM with 5.0-in. touchscreen display, media hub (USB, Auxiliary), Bluetooth, SiriusXM Radio, associated display	O	S	—	—
Uconnect 8.4 — AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Uconnect with Bluetooth, SiriusXM Radio, HD radio, associated display	—	O	S	—
Uconnect 8.4 AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Navigation, Uconnect with Bluetooth, SiriusXM Radio, HD radio, (packaged with Laramie) (SLT option is Crew only)	—	O	O/P	S
Uconnect 12.0 — AM/FM/BT/SiriusXM Radio/NAV/HD/CELL, Apple CarPlay and Android Auto, SiriusXM Radio (packaged with Limited)	—	—	O	O/P
Radio controls, steering wheel-mounted audio controls	P	P	S	S

## SAFETY AND SECURITY

### CAMERA

	TRADESMAN	SLT	LARAMIE	LIMITED
ParkView rear backup camera	O	O	O	S
Cargo View Camera requires 8.4-in. or 12-in. radio, includes LED CHMSL and cargo lamps	—	O	O	O
Auxiliary Remote Camera (Mopar camera available at dealer)	—	O	O	O
Auxiliary Camera Prep, includes vehicle trailer wiring, camera display in radio, 12-pin connector at rear frame rail	—	O/P	O/P	O/P
Surround View Camera (five digital cameras)	—	P	P	P
<b>PARKING SENSORS</b>				
Rear park assist	O	O	O	S
Front/rear park assist	O	O	O	S
<b>SAFETY FEATURES</b>				
Security alarm	—	O	S	S
Backup alarm (audible alarm when vehicle is in reverse)	O	O	O	O
Lane Departure Warning, (Lane Keep Assist)	P	P	P	P
Adaptive Steering (standalone option)	P	P	P/O	P/O
Adaptive Cruise Control with Stop	P	P	P	P
Ready Alert Braking	S	S	S	S
Full Speed Forward Collision Warning Plus (available with Adaptive Cruise)	P	P	P	P
Lane Keep Assist	P	P	P	P



	TRADESMAN	SLT	LARAMIE	LIMITED
Adaptive Steering	P	P	P	P
Tire-fill alert system (must have 5-in. radio with Tradesman)	O	O	S	S
Selectable Tire Fill Alert (packaged with 8.4-in. and 12-in. radios on SLT)	—	P	S	S
Tire Pressure Information System	O	S	S	S
Tire Pressure Monitoring Display	S	S	S	S
Trailer Tire Pressure Monitoring	—	O	O	O
Trailer Reverse Guidance	—	P	P	P
DOT-certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, spare fuses, two red vinyl flags)	O	O	O	O
Max Speed Settings (65mph, 70mph, 77mph)	O	O	O	O
Auto High Beam Headlamp Control	P	P	P	S
Rain Sensing Wipers	P	P	P	S
Auxiliary Reverse Lamps (packaged with SLT)	O	O/P	S	S

## EQUIPMENT PACKAGES

### Electrical Accessory Group

O O O O

	TRADESMAN	SLT	LARAMIE	LIMITED
220-amp alternator Voltage Monitoring Auto Idle Up Trailer Brake Control				
<b>Ambulance Prep Group</b>	O	O	O	O
220-amp alternator Voltage Monitoring Auto Idle Up Remote rear heat/AC (provides ability to run auxiliary mounted heater and A/C independently of instrument panel controls) A/C line tap and engine coolant access for upfitter Foam roof blocks (included with Regular Cab only)				
<b>Chrome Appearance Group</b>	O	—	—	—
Chrome front bumper (3500/4500/5500) Chrome grille (3500/4500/5500) Chrome inserts Chrome clad steel wheel on 3500 DRW Chrome clad steel wheel on 3500 SRW New bright wheel cover (4500/5500)				
<b>Tradesman Level 1 Equipment Group</b>	O	—	—	—
Overhead console (Regular Cab) Power windows (Regular Cab) Power door locks (Regular Cab) (speed sensitive actuation) Power black trailer tow mirrors (Regular Cab) Door trim: (Regular Cab) (wrapped bolster/armrest, 360 door handle, join seam, Iron Gray painted surround and accent) Remote Keyless Entry Interior door handles, satin chrome polished				
<b>Laramie Level 1 Equipment Group</b>	—	—	O	—

	TRADESMAN	SLT	LARAMIE	LIMITED
Auto high beam headlamp control				
Rain-sensing wipers				
Foam bottle door inserts				
Ventilated three-level front driver/passenger seats				
Power-adjustable pedals				
Radio, driver, seat, mirror, pedals memory				
CD player				
<b>Laramie Level 2 Equipment Group (Includes Laramie Level 1 Equipment Group Content)</b>	—	—	O	—
Uconnect 8.4 (AM/FM/SAT/Bluetooth/NAV/Voice)				
17 speakers				
Wireless charging pad				
Rear seat heat (three level)				
<b>Limited Level 1 Equipment Group</b>	—	—	—	O
12-in. radio				
17-speaker system				
Full Speed Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop				
Surround View Camera				
<b>Premium Lighting Group</b>	—	O	—	—
LED headlamps				
LED fog lamps				
Cluster 3.5-in. TFT color display				
<b>Safety Group</b>	O	O	O	O

	TRADESMAN	SLT	LARAMIE	LIMITED
Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop, Go and Hold				
Lane Keep Assist				
Adaptive steering				
Rain-sensing wipers				
Smart Beam				
Trailer Brake Control (Packaged with Tradesman and SLT)				
<b>Tow Technology Group</b>	—	O	O	O
Surround View Camera				
Trailer reverse guidance				
Auxiliary reverse lamps, mirror-mounted				
Power convex mirrors				
<b>Heavy-Duty Snowplow Prep Group</b>	O	O	O	O
220-amp alternator				
Transfer case skid plate				
Heavy Duty Front Suspension Group (4500 and 5500)				
<b>Luxury Group</b>	—	O	—	—
Passenger/driver cloth visors with incandescent illuminated mirrors, universal garage door opener				
Universal garage door opener				
Rear dome lamp with on/off switch				
Cluster 7.0-in. TFT color display				
Leather-wrapped steering wheel with remote audio control buttons				
Rear backlight, power sliding (Crew Cab only)				
Foam bottle door insert				
115-volt outlet (front)				
115-volt outlet (rear) (Crew only)				
Upper and lower glove box lighting				
Power adjustable pedals				

	TRADESMAN	SLT	LARAMIE	LIMITED
Rear: dual remote USB port (Crew only) 2 A/C pairs; one pair fully functional, one pair charge only				
Upper glove box door with SLT badge				
<b>Max Tow Package (Requires Diesel and Aisin)</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
12-in. rear axle (3500)				
4.10 axle (3500)				
4.44 axle (4500)				
4.89 axle (5500)				
6.7-litre				
Aisin transmission				
Trailer brake controller				
<b>Max Payload Package (6.4L 5500 only)</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8,618 kg (19,000 lb.) GVWR				
8,845 kg (19,500 lb.) GVWR				
4.89 axle ratio				
<b>Rollback Carrier Group</b>	<input type="radio"/>	<input type="radio"/>	—	—

	TRADESMAN	SLT	LARAMIE	LIMITED
Voltage monitoring auto idle up system				
Rollback carrier adaptation brackets				
220-amp alternator				
Left- or right-side PTO				
83-litre (22-gallon) mid-ship gas tank				
<b>Rear Interior Trim Delete Group (Regular Cab only)</b>	O	O	—	—
Delete front center seat				
Delete rear floor storage tray				
Delete cab back trim panel				
<b>6,804 kg (15,000 lb.) GVWR Package</b>	O	O	O	O
Includes 6,804 kg (15,000 lb.) Gross Vehicle Weight Rating (4500)				
4x2, 4x4				
<b>7,257 kg (16,000) GVWR Package</b>	O	O	O	O
Includes 7,257 kg (16,000 lb.) Gross Vehicle Weight Rating (4500)				
4x2, 4x4				