



2020 RAM 3500, 4500 & 5500 CHASSIS CAB Feature Availability

S = Standard. O = Optional. P = Part of package.

Note: some features and/or applications may be late availability.

	Tradesman	SLT	Laramie	Limited
CONFIGURATION				
3500				
BODY MODEL				
Regular Cab – 60-in. CA (143.5-in. wheelbase)	S	S	–	–
Regular Cab – 84-in. CA (167.5-in. wheelbase) (N/A with 10,000-lb. GVWR)	S	S	–	–
Crew Cab – 60-in. CA (172.4-in. wheelbase)	O	O	S	S
DRIVE SYSTEM				
4x2	S	S	S	S
4x4	O	O	O	O
4500/5500				
BODY MODEL				
Regular Cab – 60-in. CA (144.5-in. wheelbase)	S	S	–	–
Regular Cab – 84-in. CA (168.5-in. wheelbase)	S	S	–	–
Regular Cab – 108-in. CA (192.5-in. wheelbase)	S	S	–	–
Regular Cab – 120-in. CA (204.5-in. wheelbase)	S	S	–	–
Crew Cab – 60-in. CA (173.5-in. wheelbase)	O	O	S	S
Crew Cab – 84-in. CA (197.4-in. wheelbase)	O	O	S	S

	Tradesman	SLT	Laramie	Limited
DRIVE SYSTEM				
4x2	S	S	S	S
4x4	O	O	O	O

POWERTRAIN				
ENGINE / TRANSMISSION				
6.4-liter HEMI® V-8 (3500) with eight-speed 8HP75 automatic transmission	S	S	S	S
6.4-liter HEMI V-8 (3500/4500/5500) with six-speed AS66RC Aisin automatic transmission	S/P	S/P	S/P	S/P
6.7-liter Cummins Turbo Diesel I-6 engine with six-speed AS69RC Aisin automatic transmission	O	O	O	O

MECHANICAL				
ALTERNATOR				
180-amp	S	S	S	S
220-amp, (Included on 3500/4500/5500 models with Heavy-Duty Snowplow Prep Group; included with Electrical Accessory Group and Ambulance Prep Group)	O/P	O/P	O/P	O/P
380-amp (dual 160-amp and 220-amp; requires 6.4-liter)	O	O	O	O
440-amp (dual 220-amp alternators; requires 6.7-liter)	O/P	O/P	O/P	O/P

AXLES: 3500				
Single Rear Wheel Group	S	S	S	S
Dual rear wheels	O	O	O	O
Front, 6,000-lb. GAWR (SRW axle)	S	S	S	S
Rear, 11.50-in. (SRW axle)	S	S	S	S
Front, 205 mm (DRW axle)	S/O	S/O	S/O	S/O

	Tradesman	SLT	Laramie	Limited
Rear, 11.50-in. (DRW axle)	S/O	S/O	S/O	S/O
Rear, 12.0-in. (DRW axle)	P	P	P	P

AXLE RATIOS: 3500

3.73 ratio (packaged with diesel models only)	P	P	P	P
4.10 ratio (standard with gas)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

AXLES: 4500/5500

Dual rear wheel	S	S	S	S
Front, 10.5-in.	S	S	S	S
Front, 10.5-in., 7,250-lb. GAWR	O	O	O	O
Front axle disconnect (4500/5500 4x4)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

AXLE RATIOS: 4500

Rear, 4.10 ratio (packaged with 4500 with 6.7-liter engine)	P	P	P	P
4.44 ratio	S	S	S	S
4.89 ratio (available with 6.4-liter engine)	O/P	O/P	O/P	O/P
Rear, American Axle (12,000-lb. GAWR)	S	S	S	S

AXLE RATIOS: 5500

4.44 ratio	S	S	S	S
4.89 ratio	O/P	O/P	O/P	O/P
Rear, American Axle, (13,500-lb. GAWR)	S	S	S	S

	Tradesman	SLT	Laramie	Limited
FUEL TANK				
52-gallon, rear	S	S	S	S
74-gallon dual fuel tanks (52 and 22 gals.)	O	O	O	O
22-gallon mid-ship fuel tank	O	O	O	O

POWER TAKE OFF (PTO)				
Stationary elevated engine idle up	S	S	S	S
Right-side PTO	O	O	O	O
Left-side PTO	O	O	O	O
Split-shaft PTO (packaged with PTO, if diesel)	P	P	P	P
Hard-wired remote start/stop (packaged with PTO)	P	P	P	P

EXTERIOR				
ENGINE SHUT-OFF TIMER				
6.4-liter and 6.7-liter (5 minutes) (dealer programmable from 1 to 60 minutes)	O	O	O	O

INTERIOR				
INSTRUMENT CLUSTER DISPLAYS				
Cluster 3.5-in. TFT B&W display	S	S	—	—
Cluster 3.5-in. TFT color display	—	P	—	—
Cluster 7.0-in. TFT color display	P	P	S	S

	Tradesman	SLT	Laramie	Limited
TELEMATICS				
Ram Telematics System by Telogis	O	O	O	O
UP-FITTER INTERFACE				
Vehicle system interface module (VSIM)	S	S	S	S
UCONNECT MULTIMEDIA				
BLUETOOTH				
Uconnect Voice Command with Bluetooth	S	S	S	S
COMPASS				
Compass display in the radio (Tradesman availability only with optional 5.0-in. radio)	P	S	S	S
GPS antenna input on radio (packaged with 5.0-in., 8.4-in. and 12.0-in. radios)	P	P	P	P
CONNECTIVITY				
Front: Media hub – includes two fully functional type A/C USB port pairs and one auxiliary jack (four USB connection points)	S	S	S	S
Middle: 2.5-amp charge only single USB port (located in center console or armrest)	S	S	S	S
Rear: Dual remote USB port 2 A/C pairs; one pair fully functional, one pair charge only (packaged with Luxury Group)	–	P	S	S
Auxiliary headphone jack for mobile devices	S	S	S	S
Wireless charging pad (includes CD player; packaged with Laramie)	–	–	P	S

	Tradesman	SLT	Laramie	Limited
POWER				
Accessory delay	S	S	S	S
Auxiliary outlets (one battery and one ignition-fed)	S	S	S	S
115-volt auxiliary power outlet, instrument panel-mounted (Tradesman option) (SLT packaged)	O	P	S	S
115-volt auxiliary power outlet, rear facing, (Crew Cab only) (packaged with SLT)	—	P	S	S
400-watt inverter	P	P	P	P

RADIOS				
Uconnect 3.0 (handsfree Bluetooth), associated display	S	—	—	—
Uconnect 5.0 – AM/FM with 5.0-in. touchscreen display, media hub (USB, Auxiliary), Bluetooth, SiriusXM Radio, associated display	O	S	—	—
Uconnect 8.4 – AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Uconnect with Bluetooth, SiriusXM Radio, HD radio, associated display	—	O	S	—
Uconnect 8.4 AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Navigation, Uconnect with Bluetooth, SiriusXM Radio, HD radio, (packaged with Laramie) (SLT option is Crew only)	—	O	O/P	S
Uconnect 12.0 – AM/FM/BT/SiriusXM Radio/NAV/HD/CELL, Apple CarPlay and Android Auto, SiriusXM Radio (packaged with Limited)	—	—	O	O/P
Radio controls, steering wheel-mounted audio controls	P	P	S	S

SAFETY AND SECURITY

CAMERA				
ParkView rear backup camera	O	O	O	S
Cargo View Camera requires 8.4-in. or 12-in. radio, includes LED CHMSL and cargo lamps	—	O	O	O
Auxiliary Remote Camera (Mopar camera available at dealer)	—	O	O	O

	Tradesman	SLT	Laramie	Limited
Auxiliary Camera Prep, includes vehicle trailer wiring, camera display in radio, 12-pin connector at rear frame rail	—	O/P	O/P	O/P
Surround View Camera (five digital cameras)	—	P	P	P
PARKING SENSORS				
Rear park assist	O	O	O	S
Front/rear park assist	O	O	O	S
SAFETY FEATURES				
Security alarm	—	O	S	S
Backup alarm (audible alarm when vehicle is in reverse)	O	O	O	O
Lane Departure Warning, (Lane Keep Assist)	P	P	P	P
Adaptive Steering (standalone option)	P	P	P/O	P/O
Adaptive Cruise Control with Stop	P	P	P	P
Ready Alert Braking	S	S	S	S
Full Speed Forward Collision Warning Plus (available with Adaptive Cruise)	P	P	P	P
Lane Keep Assist	P	P	P	P
Adaptive Steering	P	P	P	P
Tire-fill alert system (must have 5-in. radio with Tradesman)	O	O	S	S
Selectable Tire Fill Alert (packaged with 8.4-in. and 12-in. radios on SLT)	—	P	S	S
Tire Pressure Information System	O	S	S	S
Tire Pressure Monitoring Display	S	S	S	S
Trailer Tire Pressure Monitoring	—	O	O	O
Trailer Reverse Guidance	—	P	P	P
DOT-certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, spare fuses, two red vinyl flags)	O	O	O	O

	Tradesman	SLT	Laramie	Limited
Max Speed Settings (65mph, 70mph, 77mph)	O	O	O	O
Auto High Beam Headlamp Control	P	P	P	S
Rain Sensing Wipers	P	P	P	S
Auxiliary Reverse Lamps (packaged with SLT)	O	O/P	S	S

EQUIPMENT PACKAGES**ELECTRICAL ACCESSORY GROUP**

220-amp alternator				
Voltage Monitoring Auto Idle Up	O	O	O	O
Trailer Brake Control				

AMBULANCE PREP GROUP

220-amp alternator				
Voltage Monitoring Auto Idle Up				
Remote rear heat/AC (provides ability to run auxiliary mounted heater and A/C independently of instrument panel controls)	O	O	O	O
A/C line tap and engine coolant access for upfitter				
Foam roof blocks (included with Regular Cab only)				

CHROME APPEARANCE GROUP

Chrome front bumper (3500/4500/5500)				
Chrome grille (3500/4500/5500)				
Chrome inserts				
Chrome clad steel wheel on 3500 DRW	O	—	—	—
Chrome clad steel wheel on 3500 SRW				
New bright wheel cover (4500/5500)				

COLD WEATHER GROUP (DIESEL OPTION)

Engine block heater cord	O	O	O	O
Winter front grille cover				

COMFORT GROUP

Heated steering wheel				
Leather-wrapped steering wheel and audio controls	—	O	—	—
Cluster 3.5-in. TFT color display				

Tradesman

SLT

Laramie

Limited

TRADESMAN LEVEL 1 EQUIPMENT GROUP

Overhead console (Regular Cab)

Power windows (Regular Cab)

Power door locks (Regular Cab) (speed sensitive actuation)

Power black trailer tow mirrors (Regular Cab)

Door trim: (Regular Cab)

O

—

—

—

(wrapped bolster/armrest, 360 door handle, join seam, Iron Gray painted surround and accent)

Remote Keyless Entry

Interior door handles, satin chrome polished

LARAMIE LEVEL 1 EQUIPMENT GROUP

Auto high beam headlamp control

Rain-sensing wipers

Foam bottle door inserts

Ventilated three-level front driver/passenger seats

—

—

O

—

Power-adjustable pedals

Radio, driver, seat, mirror, pedals memory

CD player

LARAMIE LEVEL 2 EQUIPMENT GROUP**(INCLUDES LARAMIE LEVEL 1 EQUIPMENT GROUP CONTENT)**

Uconnect 8.4 (AM/FM/SAT/Bluetooth/NAV/Voice)

17 speakers

—

—

O

—

Wireless charging pad

Rear seat heat (three level)

LIMITED LEVEL 1 EQUIPMENT GROUP

12-in. radio

17-speaker system

Full Speed Forward Collision Warning Plus with Auto Emergency Braking

—

—

—

O

Adaptive Cruise Control with Stop

Surround View Camera

PREMIUM LIGHTING GROUP

LED headlamps

LED fog lamps

—

O

—

—

Cluster 3.5-in. TFT color display

	Tradesman	SLT	Laramie	Limited
SAFETY GROUP				
Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop, Go and Hold				
Lane Keep Assist				
Adaptive steering	O	O	O	O
Rain-sensing wipers				
Smart Beam				
Trailer Brake Control (Packaged with Tradesman and SLT)				
TOW TECHNOLOGY GROUP				
Surround View Camera				
Trailer reverse guidance	—	O	O	O
Auxiliary reverse lamps, mirror-mounted				
Power convex mirrors				
HEAVY-DUTY SNOWPLOW PREP GROUP				
220-amp alternator				
Transfer case skid plate	O	O	O	O
Heavy Duty Front Suspension Group (4500 and 5500)				
LUXURY GROUP				
Passenger/driver cloth visors with incandescent illuminated mirrors, universal garage door opener				
Universal garage door opener				
Rear dome lamp with on/off switch				
Cluster 7.0-in. TFT color display				
Leather-wrapped steering wheel with remote audio control buttons				
Rear backlight, power sliding (Crew Cab only)				
Foam bottle door insert	—	O	—	—
115-volt outlet (front)				
115-volt outlet (rear) (Crew only)				
Upper and lower glove box lighting				
Power adjustable pedals				
Rear: dual remote USB port (Crew only) 2 A/C pairs; one pair fully functional, one pair charge only				
Upper glove box door with SLT badge				

	Tradesman	SLT	Laramie	Limited
MAX TOW PACKAGE (REQUIRES DIESEL AND AISIN)				
12-in. rear axle (3500)				
4.10 axle (3500)				
4.44 axle (4500)				
4.89 axle (5500)	O	O	O	O
6.7-liter				
Aisin transmission				
Trailer brake controller				
MAX PAYLOAD PACKAGE (6.4L 5500 ONLY)				
19,000-lb. GVWR				
19,500-lb. GVWR	O	O	O	O
4.89 axle ratio				
ROLLBACK CARRIER GROUP				
Voltage monitoring auto idle up system				
Rollback carrier adaptation brackets				
220-amp alternator	O	O	O	—
Left- or right-side PTO				
22-gallon mid-ship gas tank				
REAR INTERIOR TRIM DELETE GROUP (REGULAR CAB ONLY)				
Delete front center seat				
Delete rear floor storage tray	O	O	—	—
Delete cab back trim panel				
15,000-LB. GVWR PACKAGE				
Includes 15,000-lb. Gross Vehicle Weight Rating (4500)				
4x2, 4x4	O	O	O	O
16,000 GVWR PACKAGE				
Includes 16,000-lb. Gross Vehicle Weight Rating (4500)				
4x2, 4x4	O	O	O	O

x x x

Additional information and news from FCA US LLC is available at <http://media.fcanorthamerica.com>.