



Body Style: Four-door sedan

Layout: Transverse front engine, FWD

Seat Layout: 2/3

EPA Vehicle Class: Mid-size sedan

Assembly: Sterling Heights, Mich.

2010 CHRYSLER SEBRING DELIVERS VALUE TO THE MID-SIZE SEDAN SEGMENT

The new 2010 Chrysler Sebring sedan combines stunning design with interior craftsmanship, high levels of safety and reliability, exhilarating performance and 30-mpg highway fuel-efficiency, all at an affordable price.

A new smooth appearance hood and new 16-, 17- and 18-inch wheel designs give the 2010 Chrysler Sebring an updated look. With elegant lines and chromed touches, Chrysler Sebring offers an expressive and unique design in the mid-size sedan segment.

The 2010 Chrysler Sebring features a modern interior appearance with focus on quality, detail and execution. Sebring's finely crafted interior features soft materials, available Tortoise Shell accents, mechanical grains and bright accented surfaces. Standard 60/40 fold-flat rear seats make room for more gear, and an available fold-flat front-passenger seat creates a table-like surface to enhance versatility.

Two fuel-efficient engine options power the 2010 Chrysler Sebring: the standard 2.4-liter four-cylinder World Engine and a powerful 3.5-liter V-6 engine featuring a six-speed automatic transmission with Auto Stick.

Chrysler Sebring also offers a combination of standard safety features not typically found in the mid-size segment, including standard side-curtain air bags and standard front-seat-mounted side air bags, standard Anti-lock Brake System (ABS) and available Electronic Stability Control (ESC) with Brake Assist, and all-speed traction control.

NEW FOR 2010

- Refreshed exterior with sleek hood appearance (all models)
- New aluminum and chrome-clad wheel designs (all models)
- New instrument panel gauge cluster (all models)
- Four-wheel anti-lock disc brakes (all models)
- Driver and front-passenger active head restraints (all models)

SAFETY AND SECURITY

More than 30 safety and security features including:

- Advanced Multi-stage Air Bags
- Supplemental Side-curtain Air Bags
- Electronic Stability Control (ESC)
- Interior Head-impact Protection
- Brake Assist

FUEL ECONOMY (city/hwy)

2.4L DOHC I-4
21/30 – FWD


3.5L SOHC V-6
16/27 – FWD

MODELS / POWERTRAINS

MODEL	ENGINES		TRANSMISSIONS	
	2.4L I-4	3.5L V-6	4-SPEED AUTO (40TES)	6-SPEED AUTO (62TE)
Touring	S	–	S	–
Limited	S	0	S	0*

* 3.5-liter engine only

DIMENSIONS, IN. (MM)



O.A. Width: 71.2 (1808.4)

Track, Front: 61.8 (1569.7)

Track, Rear: 61.8 (1569.7)

Curb Wt. lb.(kg) – Est.:

Touring: 3,310 (1501)

Limited: 3,525 (1599)^(a)

^(a) 3.5L

2010 CHRYSLER SEBRING AT A GLANCE

Engineered to fit your life better

- The 2010 Chrysler Sebring sedan offers value-minded consumers the fuel economy, safety and reliability of the leading imports plus upscale styling and several useful features at an affordable price

Strikingly beautiful design with world-class interior craftsmanship

- Chrysler Sebring gives buyers upscale styling and refinement in a mid-size sedan, while providing passion and excitement at an affordable price

Thoughtful technology that makes life easier and safer

- Chrysler Sebring is a mid-size sedan that has a refined interior with many premium appointments available that provide value to the buyer, including:
 - Uconnect Phone, Uconnect Multimedia, Uconnect Navigation and SIRIUS Satellite Radio
 - Aimable LED lights in front and rear seats

Class-leading safety features

- Standard seat-mounted (thorax) side air bags
- Standard side-curtain air bags
- Standard low-risk deployment air bags
- Standard ABS
- Standard Driver and front-passenger active head restraints
- Available ESC with all-speed traction control

Exhilarating performance with excellent fuel efficiency

- A fuel-efficient 2.4-liter I-4 World Engine is standard on all Sebring models and delivers 173 horsepower and 166 lb.-ft. of torque with 21-mpg city and 30-mpg highway fuel-efficiency
- The Chrysler Sebring Limited with a 3.5-liter V-6 and six-speed automatic transmission delivers 235 horsepower and 232 lb.-ft. of torque with 16-mpg city and 27-mpg highway fuel-efficiency
- Auto Stick is standard with the 3.5-liter V-6 engine

2010 CHRYSLER SEBRING SPECIFICATIONS

The information shown is preliminary and based on data available at the time of publication. All dimensions are in inches (millimeters) unless otherwise noted. All dimensions are measured at curb weight with standard wheels and tires unless otherwise noted.

GENERAL INFORMATION

Body Style	Four-door sedan
Assembly Plant	Sterling Heights Assembly, Mich.
EPA Vehicle Class	Mid-size sedan

ENGINE: 2.4-LITER, GASOLINE, DOHC, 16-VALVE, VVT, SMPI I-4

Availability	Standard on Sebring Touring and Limited
Type and Description	Four-cylinder inline, tuned intake manifold with Electronic Active Charge Motion Control valves with dual counter-rotating balance shafts
Displacement	144 cu. in. (2360 cu. cm)
Bore x Stroke	3.46 x 3.82 (88 x 97)
Valve System	Chain-driven DOHC, 16 valves, electronically controlled dual Variable-valve Timing (VVT), direct-acting shimless mechanical bucket tappets
Fuel Injection	Sequential, multi-port, electronic, returnless
Construction	High-pressure die-cast aluminum block with dry iron liners, cast-aluminum cylinder heads, cast-aluminum ladder frame, forged-steel crankshaft
Compression	10.5:1
Power (SAE net, estimated)	173 bhp (129 kW) @ 6,000 rpm (71 bhp/liter)
Torque (SAE net, estimated)	166 lb.-ft. (225 N•m) @ 4,400 rpm
Max. Engine Speed	6,500 rpm (electronically limited)
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	5.0 qt. (4.7L) SAE 5W-20
Coolant Capacity	7.2 qt. (6.8L)
Emission Controls	Single catalytic converter dual heated oxygen sensors and engine features ^(a)
EPA Fuel Economy mpg (City/Hwy)	21/30

^(a) Meets Federal Tier 2, Bin 5 emissions requirements and PZEV requirements in California, Massachusetts, New York, Maine, Vermont, Connecticut, Pennsylvania, Rhode Island, New Jersey, Oregon and Washington. Meets Euro IV emissions requirements.

ENGINE: 3.5-LITER, GASOLINE, SOHC, 24-VALVE, SMPI V-6

Availability	Available on Sebring Limited
Type and Description	60-degree bank angle, liquid-cooled, three-plenum intake manifold with electronically controlled manifold tuning valve and short-runner valves
Displacement	3518 cu. cm
Bore x Stroke	96 x 81
Valve System	SOHC, 24 valves, hydraulic, center-pivot roller rocker arms
Fuel Injection	Sequential, multi-port, electronic
Construction	Semi-permanent mold aluminum block with cast-in iron liners and cast-aluminum heads
Compression Ratio	10.0:1
Power (SAE net, estimated)	235 bhp (175 kW) @ 6,400 rpm (71.4 bhp/liter)
Torque (SAE net, estimated)	232 lb.-ft. (315 N•m) @ 4,000 rpm
Max. Engine Speed	6,800 rpm (electronically limited)
Fuel Requirement	Unleaded mid-grade, 89 octane (R+M)/2—preferred, unleaded regular, 87 octane (R+M)/2—acceptable
Oil Capacity	6 qts. (5.7L) with dry filter
Coolant Capacity	10.3 qts. (9.75L)

2010 CHRYSLER SEBRING SPECIFICATIONS

Emission Controls	Three-way catalytic converter, electronic EGR, and internal engine features ^(d)
Estimated EPA Fuel Economy mpg (City/Hwy)	16/27

^(d) Meets Federal Tier 2, Bin 5 emission requirements and ULEV II requirements in California, Massachusetts, New York, Maine, Vermont, Connecticut, Pennsylvania, Rhode Island, New Jersey, Oregon and Washington. Meets Euro IV emissions requirements.

TRANSAXLE: 40TES, AUTOMATIC FOUR-SPEED OVERDRIVE

Description	Four-speed overdrive, adaptive electronic control, electronically modulated converter clutch
Gear Ratios	
1st	2.842
2nd	1.57
3rd	1
4th	0.69
Reverse	2.21
Final-drive Ratio	3.91 w/2.4L engine
Overall Top-gear	2.70 w/2.4L engine

TRANSAXLE: 62TE, AUTOMATIC SIX-SPEED OVERDRIVE

Description	Six-speed, adaptive electronic control or Auto Stick driver-interactive manual control and electronically modulated torque converter clutch
Gear Ratios	
1st	4.127
2nd	2.842
3rd	2.283
4th	Upshift—1.452, WOT kick-down—1.570
5th	1
6th	0.69
Reverse	3.214
Transfer Ratio	0.95
Final-drive Ratio	3.43
Overall Top-gear	2.248

DRIVETRAIN

Front-wheel Drive	Standard with all engines
-------------------	---------------------------

DIMENSIONS AND CAPACITIES

General	
Wheelbase	108.9 (2765.0)
Track, Front	61.8 (1569.7)
Track, Rear	61.8 (1569.7)
Overall Length	190.6 (4842.2)
Overall Width	71.2 (1808.4)
Overall Height	59.0 (1498.4)
Aero	
CdA	8.29
Cd	0.331
Fuel Tank Capacity, gal. (L)	16.9 (64.0)

2010 CHRYSLER SEBRING SPECIFICATIONS

Towing Capabilities, NAFTA Markets lbs. (kg)^(e)

2.4L Auto. Trans	1,000 (450)
3.5L Auto. Trans	2,000 (900)

^(e) Maximum frontal area of trailer or boat: 22 square feet 3.5L engine and 15 square feet 2.4L engine.

U.S. Curb Weight, Base Vehicle, lbs. (kg)

2.4L Gasoline Engine	Sebring Touring	3,310 (1501)
3.5L Gasoline Engine	Sebring Limited	3,525 (1599)

ACCOMMODATIONS

Seating Capacity - F/R 2/3

EPA Total Interior Passenger Volume,
cu. ft. (cu. m) 102.5 (2.9)

Front

Head Room w/o Sun Roof	40.1 (1017.3)
Head Room w/Sun Roof	37.9 (963.4)
Leg Room	42.4 (1077.1)
Shoulder Room	56.4 (1432.8)
Hip Room	53.5 (1357.8)
Seat Travel	10.2 (260)
EPA Front Compartment Volume, cu. ft. (cu. m)	55.5 (1.6)

Rear

Head Room	38.4 (975.2)
Leg Room	37.6 (955)
Shoulder Room	56.4 (1431.6)
Hip Room	53.2 (1351.0)
EPA Rear Compartment Volume, cu. ft. (cu. m)	47.1 (1.3)

Cargo

Trunk Lift-over Height	31.8 (808.8)
SAE Luggage Compartment Volume, cu. ft. (cu. m)	13.6 (0.39)

BODY/CHASSIS

Layout	Transverse front engine with front-wheel drive
Construction	Steel unibody

SUSPENSION

Front	Independent MacPherson strut, coil spring over gas-charged shock absorbers, stabilizer bar
Rear	Multi-link independent with coil springs, link-type stabilizer bar, gas-charged shock absorbers and isolated rear suspension cradle

STEERING

Type	Power rack-and-pinion
Overall Ratio	16.5:1
Turning Diameter (curb-to-curb)	36.5 ft. (11.13)
Steering Turns (lock-to-lock)	3

2010 CHRYSLER SEBRING SPECIFICATIONS

BRAKES

Power-assist Type—All	8 x 9 (204 x 230) tandem-diaphragm vacuum
Availability	Standard on all models
Front	
Size and Type	11.5 x 1.0 (294 x 26) vented rotors with 2.2 (57.0) single-piston floating caliper
Swept Area (Total Front)	223.5 sq. in. (1442.1 sq. cm)
Rear	
Size and Type	10.3 x 0.4 (262 x 10) solid rotor with 1.4 (35.0) single-piston floating caliper
Swept Area (Total Rear)	138.6 sq. in. (894.6 sq. cm)
Parking Brake Type	Drum-in-hat
Four-wheel Anti-lock Brake System (ABS)	Standard
Electronic Stability Control (ESC)	Optional
Traction Control	Optional

WHEELS

Availability	Standard on Sebring Touring
Type and Material	Steel painted with Sparkle Silver wheel cover
Size	16 in. x 6.5 in.
<hr/>	
Availability	Standard on Sebring Limited
Type and Material	Machined and painted cast-aluminum, Sparkle Silver
Size	17 in. x 6.5 in.
<hr/>	
Availability	Standard on Sebring Limited (3.5L only)
Type and Material	Machined and painted cast-aluminum, Sparkle Silver
Size	18 in. x 7.0 in.
<hr/>	
Availability	Available Sebring Limited (3.5L only)
Type and Material	Chrome-clad cast-aluminum
Size	18 in. x 7.0 in.

TIRES

Availability	Standard on Sebring Touring
Size and Type	P215/65R16, All-season
Model	Firestone FR690
Revs per Mile (km)	774 (1245.6)
<hr/>	
Availability	Standard on Sebring Limited
Size and Type	P215/60R17, All-season Touring
Model	Bridgestone Turanza EL400
Revs per Mile (km)	772 (1242.4)
<hr/>	
Availability	Standard on Sebring Limited (3.5L only)
Size and Type	P215/55R18, All-season Touring
Model	Bridgestone Turanza EL400
Revs per Mile (km)	763 (1227.9)

2010 CHRYSLER SEBRING FEATURE AVAILABILITY

LEGEND: S = Standard, O = Optional, P = Package, — = Not available

Complete package information is listed at the end of the Feature Availability section.

NOTE: Information shown is correct at time of publication and is subject to change.

	Sebring Touring	Sebring Limited
EXTERIOR		
Colors		
Inferno Red Crystal Pearl Coat		
White Gold Crystal Pearl Coat		
Deep Water Blue Pearl Coat		
Silver Steel Metallic Clear Coat		
Bright Silver Metallic Clear Coat		
Brilliant Black Crystal Pearl Coat		
Stone White Clear Coat	O	O
Defroster —Electric rear window	S	S
Door Handles		
Body-color	S	S
Fascias —Body-color	S	S
Glass —Solar Control glass for windshield, door and rear windows	S	S
Grille —Silver-colored texture, chromed horizontal accents	S	S
Lamps		
Quad halogen headlamps	S	S
Automatic	—	S
Headlamp—Off-time delay	S	S
Fog lamps (included with Electronic Convenience Group)	—	P
Mirrors		
Mirrors —Dual, power, black	S	—
Mirrors —Dual, power, heated, body-color	—	S
Moldings		
Beltline—Chromed	S	S
B-Pillars —High-gloss blackout appliqué	S	S
Quarter windows —Black appliqué	S	S
Sun Roof		
Power, includes premium headliner with illuminated visor mirrors, three passenger assist handles and four LED map/reading lamps	—	O
Trunk Lid Release —Power	S	S
Wiper System —Windshield, variable delay, intermittent mode	S	S
INTERIOR		
Air Conditioning		
Manual temperature controls	S	S
Single-zone automatic temperature controls (included with Electronic Convenience Group)	—	P
Cabin air-filtration system	S	S
Colors		
Khaki/Light Graystone or Dark Slate Gray	O	O
Cream or Dark Slate Gray	—	O
Color Accents		
Chromed and Alloy Silver	S	—
Chromed and Satin Silver	—	S
Chromed and Tortoise Shell	—	S

2010 CHRYSLER SEBRING FEATURE AVAILABILITY

	Sebring Touring	Sebring Limited
Console		
Center console with sliding armrest and dual-level storage	S	S
Alloy Silver center console with instrument panel and door trim bezels	S	—
Soft front console armrest	—	S
Door Handles and Door Lock Plungers		
Color-keyed	S	—
Chromed	—	S
Door Locks—Power	S	S
Floor Mats—Premium front and rear, carpeted	S	S
Headliner Module—Premium (includes four LED map/reading lamps, illuminated visor mirrors, three passenger assist handles, and sunglasses holders (sunglass-holder deleted with sun roof))	—	S
HomeLink universal transceiver	—	P
Instrument Panel		
Analog clock in instrument panel	S	S
LED instrument cluster with tachometer	S	S
Electronic Vehicle Information Center (EVIC) with trip computer and Tire-pressure Monitoring (TPM) display (included with Electronic Convenience Group)	—	P
Outside temperature display in instrument cluster	S	S
Satin Silver instrument cluster trim rings	—	S
Alloy Silver center console with instrument panel and Satin Silver door trim bezels	S	—
Satin Silver instrument panel, steering wheel and door trim bezels	—	S
Tortoise Shell accents	—	S
Soft-touch, reverse in-mold graining	S	S
LED interior lighting for front and rear seats	—	S
Map Pockets		
Front door	S	S
Rear door with bottle holders	S	S
Driver seatback	—	S
Mirror		
Day/night manual rearview	S	S
Automatic-dimming rearview mirror (included with Electronic Convenience Group)	—	P
Power Outlets—Two, battery and ignition fed	S	S
Seats		
Premium cloth	S	0
Leather-trimmed and leather shift knob	—	S
Heated front	—	S
Manually adjustable front	S	—
Driver's manual height adjuster	S	—
Driver's lumbar adjustment	S	S
Eight-way power driver's	—	S
Fold-flat front-passenger	S	S
60/40 split-folding rear with center armrest	S	S
Shift Knob		
Chromed accent bezel	S	S
Leather shift knob	—	S

2010 CHRYSLER SEBRING FEATURE AVAILABILITY

	Sebring Touring	Sebring Limited
Sound Systems		
AM/FM radio with CD player MP3 play connectivity	S	—
Four speakers	S	—
AM/FM radio with six-disc CD player and DVD/MP3 play capability	—	S
Six speakers	—	S
Boston Acoustics speaker system (included with Navigation and Sound Group I)	—	P
SIRIUS Satellite Radio	S	S
Uconnect Phone (included with Navigation & Sound Group I)	—	O / P
Uconnect Multimedia	—	O
Uconnect Navigation	—	O
Speed Control	S	S
Steering Wheel		
Tilt and telescoping	S	S
Leather-wrapped, audio controls	—	S
Sun Visors		
Sliding	S	S
Lighted Visor mirrors	—	S
Trunk		
Lid release—Power with internal emergency release	S	S
Cargo organizer	—	P
Windows		
Power, front and rear	S	S
Express-up/-down driver and passenger windows	—	S
Express-down window feature on key fob	—	S
POWERTRAIN AND CHASSIS		
2.4L DOHC 16-valve I-4 engine with dual Variable-valve Timing (VVT), counter-rotating balance shafts and four-speed automatic transaxle	S	O
3.5L SOHC 24-valve V-6 engine with dual-tuned intake manifold, six-speed automatic transaxle with Auto Stick and dual exhausts with chromed tips	—	—
Alternator		
120-amp	S	S
Battery—525 CCA		
Battery—Power, four-wheel disc with ABS	S	S
Brake Assist (included with Electronic Stability Control)	—	P
Drive System—Front-wheel drive		
Engine Block Heater	O	O
Remote start (Included with Electronic Convenience Group)	—	P
Steering—Power rack-and-pinion		
Suspension		
Front—Independent MacPherson	S	S
Rear—Independent multi-link	S	S
Touring suspension (included with 3.5L Engine)	—	P
Traction Control (included with Electronic Stability Control (ESC))		
	—	P

2010 CHRYSLER SEBRING FEATURE AVAILABILITY

	Sebring Touring	Sebring Limited
Tires		
P215/65R16 All-Season	S	—
P215/60R17 All-Season Touring	—	S
P255/55R18 All-Season Performance (included with 3.5L Engine)	—	P
Wheels and Wheel Covers		
16-inch steel wheels with full covers	S	—
17-inch cast-aluminum	—	S
18-inch aluminum (included with 3.5L Engine)	—	P
18-inch chromed (3.5L only)	—	0

SAFETY AND SECURITY

Air Bags		
Advanced multi-stage driver and front-passenger ^(a)	S	S
Front seat-mounted thorax	S	S
Front and rear side-curtain	S	S
Electronic Stability Control (ESC)	—	0
Enhanced Accident Response System (EARS)	S	S
LATCH (Lower Anchors and Tethers for Children)	S	S
Remote keyless entry	S	S
Seat Belts		
Three-point belts in all seating positions	S	S
Pretensioners and load-limiting retractors for front seat belts	S	S
BeltAlert	S	S
Tire-pressure Warning Lamp in Instrument Cluster	S	S
Tire-pressure Monitoring (TPM) with Specific Tire Display (included with Electronic Convenience Group)	—	P
Vehicle Theft Security Alarm—Monitors door, ignition and trunk key cylinders and disables HomeLink ^(b) (included with Electronic Convenience Group)	P	P
Sentry Key [®] engine immobilizer	S	S

^(a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, a back seat is the safest place for children.

^(b) If so equipped.

PACKAGES / EQUIPMENT GROUPS

Safety, Security and Convenience Group—Includes security alarm	0	—
Electronic Convenience Group—Includes single-zone automatic temperature control, HomeLink universal transceiver, automatic-dimming rearview mirror, heated and cooled cup holder, Electronic Vehicle Information Center (EVIC) with trip computer and Tire-pressure Monitoring (TPM), remote start, cargo organizer, security alarm and fog lamps	—	0
Navigation & Sound Group I—Includes Uconnect Navigation, Uconnect Phone and Boston Acoustics [®] 276-watt premium sound system	—	0
Smoker's Group—Includes ash receiver and cigar lighter	0	0