



Body Style: Multi-purpose vehicle
Layout: Transverse front engine, FWD
Seat Layout: 2/2/3
EPA Vehicle Class: Multi-purpose vehicle
Assembly: Windsor, Ontario, Canada

2010 CHRYSLER TOWN & COUNTRY—INNOVATION, LUXURY AND UNSURPASSED FUEL ECONOMY

With more than 25 years of minivan development, 65 segment-firsts, 40 available safety features and unsurpassed 25-mpg highway mpg fuel economy—Chrysler Town & Country remains the best vehicle to transport people and things.

A Chrysler-first innovation, and an exclusive in the segment is the Swivel 'n Go™ seating group. Swivel 'n Go features second-row seats that swivel 180 degrees to face the third row, a removable table that installs between the two rows, in-floor covered storage bins and fold-in-the-floor third-row seating, integrated child booster seats and a minivan-first dual nine-inch rear DVD entertainment system with swiveling third-row monitor and SIRIUS Backseat TV™ are also available with Swivel 'n Go.

The minivan segment's first-and-only Stow 'n Go® seating and storage system—the most flexible seating system in the minivan segment—is standard on all Chrysler Town & Country models, giving customers second- and third-row seating that quickly and conveniently folds into the floor.

Chrysler Town & Country continues to be the first in the minivan segment to feature Blind-spot Monitoring (BSM) and Rear Cross Path (RCP) accident-avoidance safety systems. BSM detects a possible unseen vehicle when changing lanes while RCP aids the driver when the vehicle is in Reverse and warns if any traffic is moving toward the vehicle. Both systems utilize dual ultra-wideband radar sensors that notify the driver via an audible chime and a visible icon on outside mirrors.

Best-in-class aerodynamics and a minivan-first six-speed automatic transmission provide 2010 Chrysler Town & Country minivans with efficient dynamics. A 4.0-liter V-6 aluminum engine offers unsurpassed fuel economy and the minivan segment's best combination of horsepower (251 hp/189 kw) and torque (259 ft.-lb./350 N•m). With an EPA fuel economy rating of 17-mpg city and 25-mpg highway, the powerful 4.0-liter engine gives customers the fuel economy they want and the power they expect.

NEW FOR 2010

- Driver and front-passenger active head restraints (all models)
- Rear obstacle detection display located in Electronic Vehicle Information Center (EVIC all models)
- New 3.16 final drive ratio (Town & Country Limited)

SAFETY AND SECURITY

More than 40 safety and security features including:

- Advanced Multi-stage Air Bags
- Supplemental Side-curtain Air Bags
- Blind-spot Monitoring (BSM) and Rear Cross Path (RCP) accident-avoidance systems
- ParkSense® rear-park assist system
- ParkView™ rear back-up camera
- Electronic Stability Control (ESC)

FUEL ECONOMY (city/hwy)


3.3L OHV V-6 17/24 – FWD	4.0L SOHC V-6 17/25 – FWD
3.8L OHV V-6 16/23 – FWD	

TOWN & COUNTRY

MODELS / POWERTRAINS

MODEL	ENGINES			TRANSMISSIONS	
	3.3L V-6	3.8L V-6	4.0L V-6	4-SPEED AUTO (41TE)	6-SPEED AUTO (62TE)
LX	S	–	–	S	–
Touring	–	S	O	–	S
Limited	–	–	S	–	S

DIMENSIONS, IN. (MM)



O.A. Width: 76.9 (1952.2)	Curb Wt. lb.(kg):
Track, Front: 65.5 (1663.2)	LX: 4,336 (1966.3)
Track, Rear: 64.8 (1645)	Touring: 4,507 (2042.3)
	Limited: 4,621 (2095.9)

2010 CHRYSLER TOWN & COUNTRY AT A GLANCE

- The 2010 Chrysler Town & Country raises the bar in the minivan segment
 - Blind-spot Monitoring (BSM) system warns the driver of unseen vehicles when changing lanes via an audible chime and a visible icon on outside mirrors
 - The Rear Cross Path (RCP) system aids drivers when the vehicle is in Reverse and warns the driver if any traffic is moving toward the vehicle via an audible chime and a visible icon on outside mirrors
 - With a contemporary exterior and interior design, two different seating and storage options, powerful drivetrain options and clever interior features, Chrysler Town & Country is a “family room on wheels” – a vehicle that offers the ultimate flexibility and utility for active lifestyles
- With the Swivel 'n Go™ seating and storage system, Chrysler offers two distinct seating and storage systems
 - Swivel 'n Go is a unique seating and storage system that offers in-floor cargo bins of the Stow 'n Go® seating system combined with second-row quad chairs that rotate 180 degrees to face forward or rearward, and a stowable center table that installs between second- and third-row seats
 - Integrated child booster seats lift children to the adult-belted zone while increasing visibility (available with the Swivel 'n Go seating system)
 - The Stow 'n Go seating and storage system is still an industry exclusive available only on Chrysler and Dodge minivans. These are the only minivans to offer fold-in-the-floor second-row seating (without the need to remove the seats) and fold-in-the-floor third-row seats
- Chrysler Town & Country is a “family room on wheels” with its fun features, practical comforts and pleasant driving experience
 - Fun features, including the Swivel 'n Go seating and storage system, a nine-inch dual DVD system with swiveling third-row monitor which can play different media at the same time, SIRIUS Backseat TV™, Uconnect™ Navigation with voice-commands and real-time traffic monitoring, iPod® Control, surround sound, LED pinpoint reading lamps, ambient halo lighting, a removable, sliding center console and removable flashlight in the tailgate give more options to families on the go
 - Practical comfort features, including the Stow 'n Go seating and storage system, heated first- and second row cloth or leather seats, remote start, second- and third-row sunshades, an umbrella holder next to the driver's seat, removable, dishwasher-safe cup holders, second-row power windows and third-row power-folding seats provide the comforts of home while on the road
- An available six-speed transaxle and 4.0-liter engine offers a spirited driving experience
- Chrysler Town & Country offers more than 40 safety features including segment-first BSM and RCP accident-avoidance systems, all-row side-curtain air bags, SmartBeam® headlamps, ParkSense® rear-park assist system⁽¹⁾ and ParkView™ rear back-up camera and Electronic Stability Control (ESC).

⁽¹⁾ Denotes most stationary obstacles. As with all electronically controlled systems, care is advised.

2010 CHRYSLER TOWN & COUNTRY SPECIFICATIONS

The information shown is preliminary and based on data available at the time of publication. All dimensions are in inches (millimeters) unless otherwise noted. All dimensions are measured at curb weight with standard wheels and tires unless otherwise noted.

GENERAL INFORMATION

Body Style	Multipurpose vehicle
Assembly Plant	Windsor, Ontario, Canada
EPA Vehicle Class	Multipurpose vehicle

ENGINE: 3.3-LITER, OHV, SMPI FFV V-6

Availability	Standard on Town & Country LX, U.S.
Type and Description	Six-cylinder, 60° V-type, liquid-cooled
Displacement	210.5 cu. in. (3301 cu. cm)
Bore x Stroke	3.66 x 3.19 (93 x 81)
Valve System	OHV, 12 valves, roller followers, hydraulic lifters
Fuel Injection	Sequential, multi-port, electronic
Construction	Cast-iron block, aluminum-alloy heads
Compression Ratio	9.3:1
Power (SAE net)	175 hp (131 kW) @ 5,000 rpm (53 bhp/liter)
Torque (SAE net)	205 lb.-ft. (278 N•m) @ 4,000 rpm
Max. Engine Speed	5,600 rpm
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2, and up to E85 ethanol
Oil Capacity	5 qt. (4.7L)
Coolant Capacity	13.36 qt. (12.64L) – standard 16.28 qt. (15.4L) – with rear heater
Emission Controls	Three-way catalytic converter, heated oxygen sensors, electronic EGR, and internal engine features ⁽¹⁾
Estimated EPA Fuel Economy mpg (city/hwy),	
NAFTA Markets	17/24
Assembly Plant	Trenton Engine Plant, Trenton, Mich.

⁽¹⁾ Meets Federal Tier 2, Bin 5 emission requirements; marketed in California, New York, Massachusetts, Vermont and Maine as a LEV-II (Low Emissions Vehicle).

ENGINE: 3.8-LITER, OHV, SMPI V-6

Availability	Standard on Town & Country Touring, U.S. and Canada
Type and Description	Six-cylinder, 60° V-type, liquid-cooled
Displacement	230.5 cu. in. (3778 cu. cm)
Bore x Stroke	3.78 x 3.43 (96 x 87)
Valve System	OHV, 12 valves, roller followers, hydraulic lifters
Fuel Injection	Sequential, multi-port, electronic
Construction	Cast-iron block, aluminum-alloy heads
Compression Ratio	9.6:1
Power (SAE net)	197 hp (147 kW) @ 5,200 rpm (51.8 bhp/liter)
Torque (SAE net)	230 lb.-ft. (312 N•m) @ 4,000 rpm
Max. Engine Speed	5,600 rpm
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	5 qt. (4.7L)
Coolant Capacity	16.28 qt. (15.4L)
Emission Controls	Three-way catalytic converter, heated oxygen sensors, electronic EGR, and internal engine features ⁽²⁾

2010 CHRYSLER TOWN & COUNTRY SPECIFICATIONS

Estimated EPA Fuel Economy mpg (city/hwy),

NAFTA Markets 16/23

Assembly Plant Trenton Engine Plant, Trenton, Mich. USA

⁽²⁾ Meets Federal Tier 2, Bin 5+ emission requirements; marketed in California, New York, Massachusetts, Vermont and Maine as a ULEV-II (Ultra-Low Emissions Vehicle).

ENGINE: 4.0-LITER, SOHC, 24-VALVE, SMPI V-6

Availability	Standard on Town & Country Limited, U.S. and Canada and all of Mexico
Type and Description	Six-cylinder, 60° bank angle, liquid-cooled, with three-plenum intake manifold, electronically controlled manifold tuning valve and short-runner valves
Displacement	241.2 cu. in. (3952 cu. cm)
Bore x Stroke	3.78 x 3.58 (96 x 91)
Valve System	SOHC, 24 valves, hydraulic, center-pivot roller rocker arms
Fuel Injection	Sequential, multi-port, electronic
Construction	Semi-permanent mold aluminum block with cast-iron liners and cast-aluminum heads
Compression Ratio	10.3:1 on mid-grade fuel
Power (SAE net)	251 hp (189 kW) @ 6,000 rpm (62.75 bhp/liter)
Torque (SAE net)	259 lb.-ft. (350 N•m) @ 4,100 rpm
Max. Engine Speed	6,000 rpm (electronically limited)
Fuel Requirement	Unleaded, 87 octane (R+M)/2
Oil Capacity	5.5 qt. (5.2L) SAE 10W-30
Coolant Capacity	16.28 qt. (15.4L)
Emission Controls	Three-way catalytic converters, quad heated oxygen sensors and internal engine features
Estimated EPA Fuel Economy mpg (city/hwy),	
NAFTA Markets	17/25
Assembly Plant	Trenton Engine Plant, Trenton, Mich.

TRANSAXLE: 41TE, AUTOMATIC FOUR-SPEED OVERDRIVE

Availability	Standard with 3.3L engine
Description	Four-speed overdrive, adaptive electronic control, electronically modulated converter clutch
Gear Ratios	
1st	2.842
2nd	1.57
3rd	1.0
4th	0.69
Reverse	3.214
Final-drive Ratio	3.434
Overall Top-gear	2.37

TRANSAXLE: 62TE, AUTOMATIC SIX-SPEED OVERDRIVE

Availability	Standard with 3.8L and 4.0L V-6 engines
Description	6-speed, adaptive electronic control, electronically modulated torque converter clutch

2010 CHRYSLER TOWN & COUNTRY SPECIFICATIONS

Gear Ratios

1st	4.127
2nd	2.842
3rd	2.283
4th	Upshift – 1.452 WOT kickdown – 1.570
5th	1.0
6th	0.690
Reverse	3.214
Transfer Ratio	0.95
Final-drive Ratio	3.246 (3.8L Engine) / 3.16 (4.0L Engine)
Overall-top Gear	2.24

DRIVETRAIN

Front-wheel Drive	Standard
-------------------	----------

ELECTRICAL SYSTEM

Alternator	160A
Battery	600 CCA, maintenance-free

DIMENSIONS AND CAPACITIES

General

Wheelbase	121.2 (3078.2)
Overhang—Front	37.6 (955.4)
Overhang—Rear	43.7 (1108.9)
Track—Front	65.5 (1663.2)
Track—Rear	64.8 (1645.0)
Overall Length	202.5 (5142.5)
Overall Width	76.9 (1952.2)
Overall Width with Mirrors	88.5 (2246.8)
Overall Height	68.9 (1750.1)
Liftover Height	24.4 (619.9)
Cargo Width at Wheelhouse	49.03 (1245.5)
Maximum Cargo Height	48.56 (1233.4) LX 46.16 (1172.4) Touring/Limited
Angle of Approach (curb load)	14.3°
Angle of Departure (curb load)	18.7°
Breakover Angle (curb load)	13.9°
Minimum Running Ground Clearance (curb load)	6.1 (154.7)
Fuel Tank Capacity, gal. (L)	20 (76)
Gross Vehicle Weight Rating (GVWR), lbs. (kg)	5,700 (2585)
Towing Capacity, lbs. (kg)	1,800 (907) – LX with Trailer-tow Prep Package 3,800 (1727) – Touring and Limited with Trailer-tow Prep Package

U.S. Curb Weight, lbs. (kg)

3.3L Gasoline Engine	4,335 (1966.3) — LX, automatic transaxle Weight Distribution % F/R — 56/44
3.8L Gasoline Engine	4,507 (2042.3) — Touring, automatic transaxle Weight Distribution % F/R — 56/44
4.0L Gasoline Engine	4,621 (2095.9) — Limited, automatic transaxle Weight Distribution % F/R — 56/44

2010 CHRYSLER TOWN & COUNTRY SPECIFICATIONS
ACCOMMODATIONS

Seating Capacity — F/R	2/2/3
Seating Capacity — F/R	2/2/3
SAE Total Interior Passenger Volume, cu. ft. (cu. m)	163.5 (4.63) / 156.1 (4.42)
Front	
Head Room	39.8 (1010.9)
Head Room with Sun Roof	37.2 (946.0)
Leg Room	40.6 (1031.7)
Shoulder Room	63.0 (1600.7)
Hip Room	57.6 (1463.0) LX 57.6 (1463.0) Touring/Limited
Seat Travel	8.7 (220)
Intermediate	
Head Room	39.2 (996.7) LX 39.7 (1008.1) Touring/Limited
Leg Room	36.4 (923.8) LX 36.3 (922.5) Touring/Limited
Knee Clearance	3.5 (88.9) LX 3.6 (92.7) Touring/Limited
Shoulder Room	64.7 (1643.4)
Hip Room	64.8 (1646.0) LX 64.8 (1647.1) Touring/Limited
Seat Travel, Optional Swivel 'n Go™ Seats	3.9 (100)
Intermediate Passenger Volume, cu. ft. (cu. m)	53.4 (1.51) LX 54.0 (1.53) Touring/Limited
Rear	
Head Room	37.9 (961.9)
Leg Room	37.6 (954.6) LX 31.8 (807.9) Touring/Limited
Knee Clearance	37.6 (113.0) / 31.8 (156.7)
Shoulder Room	62.0 (1575.9)
Hip Room	48.7 (1237.7)
Rear Passenger Volume, cu. ft. (cu. m)	51.1 (1.45) LX 43.2 (1.22) Touring/Limited
Cargo Volume	
Maximum Cargo Volume, cu. ft. (cu. m)	143.8 (4.07) LX 140.1 (3.97) Touring/Limited
Behind Second-row Seats, cu. ft. (cu. m)	82.7 (2.34) / 83.7 (2.37)
Aft of Third-row Seat, cu. ft. (cu. m)	32.3 (0.92)
Total Passenger plus Cargo Volume, cu. ft. (cu. m)	195.8 (5.54) LX 188.4 (5.34) Touring/Limited

BODY/CHASSIS

Layout	Transverse front engine, front-wheel drive
Construction	Unitized steel with hinged front doors; sliding left and right side doors—power available; rear liftgate with gas props—power available

2010 CHRYSLER TOWN & COUNTRY SPECIFICATIONS

SUSPENSION

Front	Independent MacPherson strut, coil over gas-charged shock absorbers, stabilizer bar with isolated suspension cradle
Rear	Twist-beam axle with coil springs, track bar, gas-charged shock absorbers; self-leveling shock absorbers included with Trailer-tow Group

STEERING

Type	Power rack-and-pinion
Overall Ratio	16.9:1
Turning Diameter (curb-to-curb)	39.1 ft. (11.92 m)
Steering Turns (lock-to-lock)	3.14

BRAKES

Power Assist Type	All—8 x 9 (204 x 320) tandem-diaphragm vacuum
Availability	U.S.—Standard on all models
Front	
Size and Type	11.9 x 1.1 (302 x 28) vented rotors with 42 mm single-piston IPB caliper
Swept Area (total front)	55.0 sq. in. (355 sq. cm)
Rear	
Size and Type	12.0 x 0.47 (305 x 12) solid rotors with 42 mm single-piston IPB caliper
Swept Area (total rear)	54.3 sq. in. (350 sq. cm)
Parking Brake Type	Integral parking brake
Four-wheel Anti-lock (ABS)	Standard
Electronic Stability Control (ESC)	Standard
All-speed traction control	Standard

WHEELS (U.S.)

Availability	Standard on Town & Country LX
Type and Material	Steel with painted bolt-on wheel cover
Size	16 x 6.5
Availability	Standard on Town & Country Touring, Optional on LX
Type and Material	Machine-face cast-aluminum with painted pockets
Size	16 x 6.5
Availability	Optional on Town & Country Touring
Type and Material	Machined cast-aluminum with painted pocket
Size	17 x 6.5
Availability	Standard on Town & Country Limited
Type and Material	Chrome-clad cast-aluminum
Size	17 x 6.5

2010 CHRYSLER TOWN & COUNTRY SPECIFICATIONS

TIRES (U.S.)

Availability	Standard on Town & Country LX and Touring
Size and Type	225/65R16, All-season
Model	Yokohama Avid S33
Revs per Mile (km)	762 (473)

Availability	Standard on Town & Country Limited, Optional on Touring
Size and Type	P225/65R17 BSW, All-season Touring
Model	Bridgestone Turanza EL400
Revs per Mile (km)	737 (458)

2010 CHRYSLER TOWN & COUNTRY FEATURE AVAILABILITY

LEGEND: S = Standard, O = Optional, P = Package, — = Not available

Complete package information is listed at the end of the Feature Availability section.

NOTE: Information shown is correct at time of publication and is subject to change.

	LX	Touring	Limited
EXTERIOR			
Antenna —Fixed long-mast	S	S	S
Colors			
Inferno Red Crystal Pearl Coat			
Dark Cordovan Crystal Pearl Coat			
White Gold Crystal Pearl Coat			
Clearwater Blue Pearl Coat			
Blackberry Pearl Coat			
Bright Silver Metallic Clear Coat			
Brilliant Black Crystal Pearl Coat			
Stone White Clear Coat			
Dark Titanium Pearl Coat	O	O	O
Defroster —Electric, rear window	S	S	S
Door Handles			
Body-color	S	S	—
Chromed	—	—	S
Fascias			
Body-color	S	S	—
Body-color with chromed insert	—	—	S
Rear fascia scuff pad	S	S	S
Grille —Chromed	S	S	S
Lamps			
Quad halogen headlamps	S	S	—
Headlamp-off time delay	S	S	S
Automatic headlamps	—	S	S
Fog lamps	—	S	S
High-intensity Discharge (HID) headlamps	—	—	S
SmartBeam® headlamps (included with Premium Group)	—	P	S
Liftgate —Power (included with Power Convenience Group)	P	S	S
Mirrors —Outside rearview			
Power, heated, manual fold-away	S	S	S
Body-color	—	S	—
Chromed with signal indicators and automatic dimming driver side (included with Power Convenience Group)	—	P	S
Memory	—	—	S
Moldings			
Beltline—Chromed	S	S	S
Body-side—Body-color	S	—	—
Body-side—Chromed	—	S	S
Remote Start (included with Family Value Group)	—	P	S
Roof rack —Black side rails with black crossbars	O	S	—
Roof rack —Chromed side rails with black crossbars	—	—	S
Wiper System			
Rear window wiper/washer	S	S	S
Windshield, variable intermittent	S	S	S
Rain-sensitive windshield wipers (included with Premium Group)	—	P	S

2010 CHRYSLER TOWN & COUNTRY FEATURE AVAILABILITY

	LX	Touring	Limited
INTERIOR			
Climate Control (Air Conditioning and Heat)			
With three-zone manual temperature controls	S	S	—
With three-zone automatic temperature controls and air filtering (included with Premium Group)	—	P	S
Rear-zone (second- and third-row seating)	S	S	S
Assist Handles	S	S	S
Auxiliary Power Outlet			
115-volt (included with Entertainment Group I)	P	S	S
12-volt DC, front and rear	S	S	S
Carpet			
Standard, floor and cargo area	S	S	—
Luxury, full-length	—	—	S
Colors			
Medium Slate Gray/Light Shale	0	0	0
Medium Pebble Beige/Cream	0	0	0
Console			
Floor console with four cup holders	S	S	—
Premium removable sliding front console with four cup holders and power outlet (included with Family Value Group and Touring "L" Group)	—	P	S
Overhead console	S	S	S
Rear overhead console with four storage bins	—	S	S
Door Locks—Power			
Doors—Left/right power-sliding rear-passenger (included with Power Convenience Group)	P	S	S
Door Trim—Front			
Premium trim panels with Dark Maple Burl appliqué and satin silver accents	—	S	—
Premium trim panels with Medrona Burl appliqué and satin silver accents	—	—	S
Door Trim—Sliding doors			
Premium trim panels with Medrona Burl appliqué and satin silver accents	—	—	S
Floor Mats—Easy-clean			
Grocery Bag Hooks—Rear seatback	S	S	S
HomeLink universal transceiver			
HomeLink universal transceiver	—	S	S
Illumination			
Entry illumination	S	S	S
Liftgate flood lamp	S	S	S
Rear dome lamp	S	—	—
Courtesy door lamps	—	S	S
Front-door storage illumination	—	S	S
Cup holder illumination	—	S	S
Overhead ambient surround lighting	—	S	S
Rear swiveling reading/courtesy lamps	—	S	S
Instrument Panel			
Analog clock	S	S	S
Electroluminescent instrument cluster with 120-mph primary speedometer and tachometer	S	S	S
Electronic Vehicle Information Center (EVIC) with trip computer and Tire-pressure Monitoring (TPM) display (included on Touring "L")	—	P	S
Woodgrain/satin silver bezel trim	S	S	S
Trip computer with temperature/compass (included with Power Convenience Group)	P	S	S

2010 CHRYSLER TOWN & COUNTRY FEATURE AVAILABILITY

	LX	Touring	Limited
Mirror			
Day/night manual rearview	S	S	—
Automatic-dimming rearview mirror (included with Security Group and Premium Group on Touring)	—	P	S
Interior observation/conversation mirror with sunglasses holder	S	S	S
Pedals			
Power-adjustable	—	S	—
Power-adjustable, with memory	—	—	S
Seats			
Cloth, low-back front bucket seats	S	S	—
Active head rests (front row)	S	S	S
Stain-repel seat fabric	S	S	—
Luxury leather-trimmed bucket seats	—	—	S
Stow 'n Go® second-row bucket seating and storage system	S	S	S
Swivel 'n Go™ second-row swiveling bucket seats (available with Leather seating)	—	0	0
Heated front seats (included with Heated Seat Group and on Touring "L" Group)	—	0/P	S
Heated second-row seats (included with Heated Seat Group and on Touring "L" Group)	—	0/P	S
Integrated child booster seat available with (optional on Swivel 'n Go seat group)	—	0	0
Eight-way power driver seat (included with Power Convenience Group)	P	S	—
Eight-way power driver seat and eight-way power passenger seat (included on Touring "L")	—	P	S
Power-folding third-row 60/40 bench seat (included with Premium Group)	—	P	0
Memory seats	—	—	S
Driver adjustable lumbar, manual (included with Power Convenience Group)	P	S	S
Shift knob—Leather-wrapped	—	S	S
Sound Systems			
AM/FM radio with CD player and MP3 play capability	S	S	—
Four speakers	S	—	—
Six speakers (included with Entertainment Group I)	P	S	—
Nine speakers with subwoofer and 506-watt amplifier	—	—	S
Radio memory	—	—	S
SIRIUS Satellite Radio (included with Entertainment Group I)	P	S	S
SIRIUS Backseat TV™ (must have Entertainment Group II on Touring and Entertainment Group III on Limited)	—	0	P
Uconnect Multimedia (included with Entertainment Group I on LX and Entertainment Group II on Touring)	P	P	S
Uconnect Navigation	—	0	0
Speed Control	S	S	S
Steering Wheel			
Tilt-steering column	S	S	S
Steering-wheel-mounted audio controls	—	S	S
Leather-wrapped	—	S	S

2010 CHRYSLER TOWN & COUNTRY FEATURE AVAILABILITY

	LX	Touring	Limited
Storage			
Driver and front-passenger door storage with bottle holder	S	S	S
Driver-side umbrella holder	S	S	S
Upper and lower glove boxes with dampeners	S	S	S
Lower instrument panel cubby bin	S	S	S
Map pockets, second-row	S	S	S
Sliding door bottle holders	S	S	S
Left rear quarter trim storage bin	S	S	—
Overhead storage (four overhead storage bins)	—	S	S
Sun roof—Power, with mini overhead console	—	O	O
Sun Visors—Driver and front passenger with mirror	S	—	—
Sun Visors—Driver and front passenger with illuminated mirror	—	S	S
Uconnect Phone (included with Security Group and Premium Group on Touring, Safety Group on Limited)	—	P	P
iPod® Control (included with Security Group and Premium Group on Touring, Safety Group on Limited)	—	P	P
Windows			
Sunscreen glass	S	S	S
Power, front with driver express-up/down and passenger express-up/down (included on Power Convenience Group)	P	S	S
Power, second-row (included on Power Convenience Group)	P	S	S
Power, rear quarter vents (included on Power Convenience Group)	P	S	S
Window Shades—Second- and third-row (included on Family Value Group and Touring “L” Group)	—	P	S
POWERTRAIN AND CHASSIS			
3.3L V-6 OHV engine with 4-speed automatic transmission	S	—	—
3.8L V-6 OHV engine with 6-speed automatic transmission	—	S	—
4.0L V-6 SOHC engine with 6-speed automatic transmission	—	O	S
Alternator—160-amp	S	S	S
Battery—600-amp, maintenance-free	S	S	S
Brakes—Power, four-wheel disc with ABS	S	S	S
Engine Block Heater	O	O	O
Engine Oil Cooler (included with Trailer-tow Group)	—	O/P	S
Flex Fuel Vehicle (FFV)	S	—	—
Front-wheel Drive	S	S	S
Fuel Tank—20-gallon capacity	S	S	S
Remote Start (included with Family Value Group and Touring “L” Group)	—	P	S
Steering—Power rack-and-pinion	S	S	S
Suspension			
Front—Independent MacPherson	S	S	S
Rear—Twist-beam axle with coil springs, track bar, gas-charged shock absorbers	S	S	S
Load leveling and height control (included with Trailer-tow Group)	—	P	P
Traction Control	S	S	S
Tires			
P225/65R16 BSW, All-season	S	S	—
P225/65R17 BSW, All-season Touring (included with Premium Group)	—	P	S
Compact spare tire	S	S	S

2010 CHRYSLER TOWN & COUNTRY FEATURE AVAILABILITY

	LX	Touring	Limited
Wheels			
16-inch steel wheels with covers	S	—	—
16-inch aluminum wheels	—	S	—
17-inch aluminum wheels (included with Premium Group)	—	P	—
17-inch aluminum chrome-clad wheels	—	—	S

SAFETY AND SECURITY

Air Bags			
Advanced multi-stage driver and front passenger	S	S	S
Supplemental all-row side-curtain	S	S	S
Anti-lock Four-wheel Disc Brakes	S	S	S
Blind-spot Monitoring (BSM) and Rear Cross Path (RCP) accident avoidance systems (included with Security Group on Touring, and Safety Group on Limited)	—	P	P
Brake Assist	S	S	S
Electronic Stability Control (ESC)	S	S	S
Emergency Accident Response System (EARS)	S	S	S
HomeLink universal transceiver	—	S	S
Horns—Dual note			
Illuminated Entry	S	S	S
LATCH (Lower Anchors and Tethers for Children)	S	S	S
ParkSense® rear-park assist system	S	S	S
ParkView™ rear back-up camera (included with Security Group)	—	P	S
Remote keyless entry	S	S	S
Removable Rechargeable Flashlight	—	S	S
Seat Belts (Three-point lap to shoulder)	S	S	S
Security Alarm	S	S	S
Sentry Key® engine immobilizer	S	S	S
Tip Start	S	S	S
Tire-pressure Warning Lamp in Instrument Cluster	S	S	—
Tire-pressure Monitoring (TPM) display (included on Touring "L")	—	P	S
Warning Chime	S	S	S

2010 CHRYSLER TOWN & COUNTRY FEATURE AVAILABILITY
LX Touring Limited
PACKAGES / EQUIPMENT GROUPS

Touring "L" Group —Includes heated first and second-row leather seats, eight-way power passenger seat, Entertainment Group II, Uconnect Multimedia, ParkView™ rear back-up camera, second- and third-row window shades, Electronic Vehicle Information Center (EVIC) with trip computer and Tire-pressure Monitoring (TPM) display, remote start, premium removable sliding front console with four cup holders and power outlet	—	0	—
Flexible Seating Group —Includes second-row Swivel 'n Go™ chairs which swivel 180 degrees rearward to face the third-row seats; removable and storable table for the second and third row; and "Swivel' n Go" badge (available with Leather seating only)	—	0	0
Mopar Exterior Appearance Group —Includes bright door sills, premium floor mats with logo, splash guards and body-color running boards	0	0	0
Power Convenience Group —Includes power eight-way driver seat with manual lumbar adjustment, right and left power sliding rear doors; compass/trip/temperature computer, power second-row windows, power third-row vents and power liftgate	0	—	—
Entertainment Group I —Includes Uconnect Multimedia, six speakers, ParkView™ rear back-up camera, SIRIUS Satellite Radio, second-row overhead DVD console with 9-inch video screen, two wireless headphones, video remote control, and 115-volt auxiliary power outlet	0	—	—
Premium Group —Includes automatic climate control with three-zone temperature control, rain-sensitive windshield wipers, power-folding third-row seat, SmartBeam® headlamps, Uconnect Phone, iPod® Control, auto-dimming rearview mirror with integrated microphone; 17-inch aluminum wheels and Bridgestone touring tires	—	0	—
Heated Seating Group —Includes heated front- and second-row seats	—	0	—
Security Group —Includes security alarm; Uconnect Phone, iPod® Control, auto-dimming rearview mirror with integrated microphone; power fold-away chromed exterior side mirrors with supplemental turn signal indicator, auto-dimming driver side mirror, ParkSense® rear-park assist system, and Blind-spot Monitoring (BSM) and Rear Cross Path (RCP) accident avoidance systems	—	0	—
Entertainment Group II —Includes Uconnect Multimedia, ParkView™ rear back-up camera, second- and third-row nine-inch overhead DVD screens, single CD/DVD player, two two-channel wireless headphones, switchable video remote control and six speakers	—	0	—
Family Value Group —Includes removable center front-seat console, second- and third-row window shades, and remote start	—	0	—
Trailer-tow Group —Includes heavy-duty engine cooling with engine oil cooler, heavy-duty transmission oil cooler and heavy-duty radiator, load-leveling and height control, and trailer-tow wiring harness	—	0	0
Safety Group —Includes Uconnect Phone, iPod® Control, auto-dimming rearview mirror with integrated microphone, Blind-spot Monitoring (BSM) and Rear Cross Path (RCP) accident avoidance systems	—	—	0
Entertainment Group III —Includes second- and third-row nine-inch overhead DVD screens, single CD/DVD player, two two-channel wireless headphones, switchable video remote control and SIRIUS Backseat TV™	—	—	0

Legend: S = Standard O = Optional P = Available within package or group — = Not available